

Item No.	Size (mm)	OAL length (mm)	Flute Length (mm)
DTDBM200100B4B	1	26	6
DTDBM200110B4B	1.1	26	6
DTDBM200120B4B	1.2	26	6
DTDBM200125B4B	1.25	30	8
DTDBM200130B4B	1.3	30	8
DTDBM200140B4B	1.4	30	9
DTDBM200150B4B	1.5	30	9
DTDBM200160B4B	1.6	34	10
DTDBM200170B4B	1.7	36	11
DTDBM200175B4B	1.75	36	11
DTDBM200180B4B	1.8	36	11
DTDBM200190B4B	1.9	38	12
DTDBM200200B4B	2	38	12
DTDBM200210B4B	2.1	38	12
DTDBM200220B4B	2.2	40	13
DTDBM200225B4B	2.25	40	13
DTDBM200230B4B	2.3	40	13
DTDBM200240B4B	2.4	43	14
DTDBM200250B4B	2.5	43	14
DTDBM200260B4B	2.6	43	14
DTDBM200270B4B	2.7	46	16
DTDBM200275B4B	2.75	46	16
DTDBM200280B4B	2.8	46	16
DTDBM200290B4B	2.9	46	16
DTDBM200300B4B	3	46	16
DTDBM200310B4B	3.1	49	18
DTDBM200320B4B	3.2	49	18
DTDBM200325B4B	3.25	49	18
DTDBM200330B4B	3.3	49	18
DTDBM200340B4B	3.4	52	20
DTDBM200350B4B	3.5	52	20
DTDBM200360B4B	3.6	52	20
DTDBM200370B4B	3.7	52	20
DTDBM200375B4B	3.75	52	20
DTDBM200380B4B	3.8	55	22
DTDBM200390B4B	3.9	55	22
DTDBM200400B4B	4	55	22
DTDBM200410B4B	4.1	55	22
DTDBM200420B4B	4.2	55	22
DTDBM200425B4B	4.25	55	22
DTDBM200430B4B	4.3	58	24
DTDBM200440B4B	4.4	58	24
DTDBM200450B4B	4.5	58	24
DTDBM200460B4B	4.6	58	24
DTDBM200470B4B	4.7	58	24
DTDBM200475B4B	4.75	58	24
DTDBM200480B4B	4.8	62	26
DTDBM200490B4B	4.9	62	26
DTDBM200500B4B	5	62	26
DTDBM200510B4B	5.1	62	26
DTDBM200520B4B	5.2	62	26
DTDBM200525B4B	5.25	62	26
DTDBM200530B4B	5.3	62	26
DTDBM200540B4B	5.4	66	28
DTDBM200550B4B	5.5	66	28
DTDBM200560B4B	5.6	66	28
DTDBM200570B4B	5.7	66	28
DTDBM200575B4B	5.75	66	28
DTDBM200580B4B	5.8	66	28
DTDBM200590B4B	5.9	66	28
DTDBM200600B4B	6	66	28
DTDBM200610B4B	6.1	70	31
DTDBM200620B4B	6.2	70	31
DTDBM200625B4B	6.25	70	31
DTDBM200630B4B	6.3	70	31
DTDBM200640B4B	6.4	70	31
DTDBM200650B4B	6.5	70	31

DIN1897 Straight Shank Twist Drill

※DIN1897 HSS extra long drill bits, roll forged, straight shank, black finish.

※Solid standard drills for ordinary metal drilling, also suitable for drilling wood and different plastic-materials.



Item No.	Size (mm)	OAL length (mm)	Flute Length (mm)
DTDBM200660B4B	6.6	74	34
DTDBM200670B4B	6.7	74	34
DTDBM200675B4B	6.75	74	34
DTDBM200680B4B	6.8	74	34
DTDBM200690B4B	6.9	74	34
DTDBM200700B4B	7	74	34
DTDBM200710B4B	7.1	74	34
DTDBM200720B4B	7.2	74	34
DTDBM200725B4B	7.25	74	34
DTDBM200730B4B	7.3	74	34
DTDBM200740B4B	7.4	74	34
DTDBM200750B4B	7.5	74	34
DTDBM200760B4B	7.6	79	37
DTDBM200770B4B	7.7	79	37
DTDBM200775B4B	7.75	79	37
DTDBM200780B4B	7.8	79	37
DTDBM200790B4B	7.9	79	37
DTDBM200800B4B	8	79	37
DTDBM200810B4B	8.1	79	37
DTDBM200820B4B	8.2	79	37
DTDBM200825B4B	8.25	79	37
DTDBM200830B4B	8.3	79	37
DTDBM200840B4B	8.4	79	37
DTDBM200850B4B	8.5	79	37
DTDBM200860B4B	8.6	84	40
DTDBM200870B4B	8.7	84	40
DTDBM200875B4B	8.75	84	40
DTDBM200880B4B	8.8	84	40
DTDBM200890B4B	8.9	84	40
DTDBM200900B4B	9	84	40
DTDBM200910B4B	9.1	84	40
DTDBM200920B4B	9.2	84	40
DTDBM200925B4B	9.25	84	40
DTDBM200930B4B	9.3	84	40
DTDBM200940B4B	9.4	84	40
DTDBM200950B4B	9.5	84	40
DTDBM200960B4B	9.6	89	43
DTDBM200970B4B	9.7	89	43
DTDBM200975B4B	9.75	89	43
DTDBM200980B4B	9.8	89	43
DTDBM200990B4B	9.9	89	43
DTDBM201000B4B	10	89	43
DTDBM201020B4B	10.2	89	43
DTDBM201025B4B	10.25	89	43
DTDBM201050B4B	10.5	89	43
DTDBM201075B4B	10.75	95	47
DTDBM201100B4B	11	95	47
DTDBM201150B4B	11.5	95	47
DTDBM201200B4B	12	102	51
DTDBM201250B4B	12.5	102	51
DTDBM201270B4B	12.7	102	51
DTDBM201300B4B	13	102	51
DTDBM201350B4B	13.5	107	54
DTDBM201400B4B	14	107	54
DTDBM201450B4B	14.5	111	56
DTDBM201500B4B	15	111	56
DTDBM201550B4B	15.5	111	56
DTDBM201600B4B	16	111	56
DTDBM201650B4B	16.5	119	60
DTDBM201700B4B	17	119	60
DTDBM201750B4B	17.5	123	62
DTDBM201800B4B	18	123	62
DTDBM201850B4B	18.5	127	64
DTDBM201900B4B	19	127	64
DTDBM201950B4B	19.5	131	66
DTDBM202000B4B	20	131	66

DIN1897 Straight Shank Twist Drill

※DIN1897 HSS extra long drill bits, roll forged, straight shank, black finish.

※Solid standard drills for ordinary metal drilling, also suitable for drilling wood and different plastic-materials.



Twist Drill

Item No.	Size (mm)	OAL length (mm)	Flute Length (mm)
DTDBM3500100D1A	1	26	6
DTDBM3500110D1A	1.1	26	6
DTDBM3500120D1A	1.2	26	6
DTDBM3500125D1A	1.25	30	8
DTDBM3500130D1A	1.3	30	8
DTDBM3500140D1A	1.4	30	9
DTDBM3500150D1A	1.5	30	9
DTDBM3500160D1A	1.6	34	10
DTDBM3500170D1A	1.7	36	11
DTDBM3500175D1A	1.75	36	11
DTDBM3500180D1A	1.8	36	11
DTDBM3500190D1A	1.9	38	12
DTDBM3500200D1A	2	38	12
DTDBM3500210D1A	2.1	38	12
DTDBM3500220D1A	2.2	40	13
DTDBM3500225D1A	2.25	40	13
DTDBM3500230D1A	2.3	40	13
DTDBM3500240D1A	2.4	43	14
DTDBM3500250D1A	2.5	43	14
DTDBM3500260D1A	2.6	43	14
DTDBM3500270D1A	2.7	46	16
DTDBM3500275D1A	2.75	46	16
DTDBM3500280D1A	2.8	46	16
DTDBM3500290D1A	2.9	46	16
DTDBM3500300D1A	3	46	16
DTDBM3500310D1A	3.1	49	18
DTDBM3500320D1A	3.2	49	18
DTDBM3500325D1A	3.25	49	18
DTDBM3500330D1A	3.3	49	18
DTDBM3500340D1A	3.4	52	20
DTDBM3500350D1A	3.5	52	20
DTDBM3500360D1A	3.6	52	20
DTDBM3500370D1A	3.7	52	20
DTDBM3500375D1A	3.75	52	20
DTDBM3500380D1A	3.8	55	22
DTDBM3500390D1A	3.9	55	22
DTDBM3500400D1A	4	55	22
DTDBM3500410D1A	4.1	55	22
DTDBM3500420D1A	4.2	55	22
DTDBM3500425D1A	4.25	55	22
DTDBM3500430D1A	4.3	58	24
DTDBM3500440D1A	4.4	58	24
DTDBM3500450D1A	4.5	58	24
DTDBM3500460D1A	4.6	58	24
DTDBM3500470D1A	4.7	58	24
DTDBM3500475D1A	4.75	58	24
DTDBM3500480D1A	4.8	62	26
DTDBM3500490D1A	4.9	62	26
DTDBM3500500D1A	5	62	26
DTDBM3500510D1A	5.1	62	26
DTDBM3500520D1A	5.2	62	26
DTDBM3500525D1A	5.25	62	26
DTDBM3500530D1A	5.3	62	26
DTDBM3500540D1A	5.4	66	28
DTDBM3500550D1A	5.5	66	28
DTDBM3500560D1A	5.6	66	28
DTDBM3500570D1A	5.7	66	28
DTDBM3500575D1A	5.75	66	28
DTDBM3500580D1A	5.8	66	28
DTDBM3500590D1A	5.9	66	28
DTDBM3500600D1A	6	66	28
DTDBM3500610D1A	6.1	70	31
DTDBM3500620D1A	6.2	70	31
DTDBM3500625D1A	6.25	70	31
DTDBM3500630D1A	6.3	70	31
DTDBM3500640D1A	6.4	70	31
DTDBM3500650D1A	6.5	70	31

DIN1897 Straight Shank Twist Drill

*DIN1897 HSS Co extra long drill bits, fully ground, straight shank, amber finish.

*High quality HSS Co-drills with outstanding high temperature-resistance.



Item No.	Size (mm)	OAL length (mm)	Flute Length (mm)
DTDBM200660B4B	6.6	74	34
DTDBM200670B4B	6.7	74	34
DTDBM200675B4B	6.75	74	34
DTDBM200680B4B	6.8	74	34
DTDBM200690B4B	6.9	74	34
DTDBM200700B4B	7	74	34
DTDBM200710B4B	7.1	74	34
DTDBM200720B4B	7.2	74	34
DTDBM200725B4B	7.25	74	34
DTDBM200730B4B	7.3	74	34
DTDBM200740B4B	7.4	74	34
DTDBM200750B4B	7.5	74	34
DTDBM200760B4B	7.6	79	37
DTDBM200770B4B	7.7	79	37
DTDBM200775B4B	7.75	79	37
DTDBM200780B4B	7.8	79	37
DTDBM200790B4B	7.9	79	37
DTDBM200800B4B	8	79	37
DTDBM200810B4B	8.1	79	37
DTDBM200820B4B	8.2	79	37
DTDBM200825B4B	8.25	79	37
DTDBM200830B4B	8.3	79	37
DTDBM200840B4B	8.4	79	37
DTDBM200850B4B	8.5	79	37
DTDBM200860B4B	8.6	84	40
DTDBM200870B4B	8.7	84	40
DTDBM200875B4B	8.75	84	40
DTDBM200880B4B	8.8	84	40
DTDBM200890B4B	8.9	84	40
DTDBM200900B4B	9	84	40
DTDBM200910B4B	9.1	84	40
DTDBM200920B4B	9.2	84	40
DTDBM200925B4B	9.25	84	40
DTDBM200930B4B	9.3	84	40
DTDBM200940B4B	9.4	84	40
DTDBM200950B4B	9.5	84	40
DTDBM200960B4B	9.6	89	43
DTDBM200970B4B	9.7	89	43
DTDBM200975B4B	9.75	89	43
DTDBM200980B4B	9.8	89	43
DTDBM200990B4B	9.9	89	43
DTDBM201000B4B	10	89	43
DTDBM201020B4B	10.2	89	43
DTDBM201025B4B	10.25	89	43
DTDBM201050B4B	10.5	89	43
DTDBM201075B4B	10.75	95	47
DTDBM201100B4B	11	95	47
DTDBM201150B4B	11.5	95	47
DTDBM201200B4B	12	102	51
DTDBM201250B4B	12.5	102	51
DTDBM201270B4B	12.7	102	51
DTDBM201300B4B	13	102	51
DTDBM201350B4B	13.5	107	54
DTDBM201400B4B	14	107	54
DTDBM201450B4B	14.5	111	56
DTDBM201500B4B	15	111	56
DTDBM201550B4B	15.5	111	56
DTDBM201600B4B	16	111	56
DTDBM201650B4B	16.5	119	60
DTDBM201700B4B	17	119	60
DTDBM201750B4B	17.5	123	62
DTDBM201800B4B	18	123	62
DTDBM201850B4B	18.5	127	64
DTDBM201900B4B	19	127	64
DTDBM201950B4B	19.5	131	66
DTDBM202000B4B	20	131	66

DIN1897 Straight Shank Twist Drill

***DIN1897 HSS Co extra long drill bits, fully ground, straight shank, amber finish.**

***High quality HSS Co-drills with outstanding high temperature-resistance.**

