

DIN 345 Morse Taper Shank Drills

Item No.	Ø mm	L1 mm	L2 mm	MT*
DTDEM200300114A4B	3.00	114	33	1
DTDEM200350120A4B	3.50	120	43	1
DTDEM200400124A4B	4.00	124	43	1
DTDEM200450128A4B	4.50	128	47	1
DTDEM200500133A4B	5.00	133	52	1
DTDEM200525133A4B	5.25	133	52	1
DTDEM200550138A4B	5.50	138	57	1
DTDEM200575138A4B	5.75	138	57	1
DTDEM200600138A4B	6.00	138	57	1
DTDEM200625144A4B	6.25	144	63	1
DTDEM200650144A4B	6.50	144	63	1
DTDEM200675150A4B	6.75	150	69	1
DTDEM200700150A4B	7.00	150	69	1
DTDEM200725150A4B	7.25	150	69	1
DTDEM200750150A4B	7.50	150	69	1
DTDEM200775156A4B	7.75	156	75	1
DTDEM200800156A4B	8.00	156	75	1
DTDEM200825156A4B	8.25	156	75	1
DTDEM200850156A4B	8.50	156	75	1
DTDEM200875162A4B	8.75	162	81	1
DTDEM200900162A4B	9.00	162	81	1
DTDEM200925162A4B	9.25	162	81	1
DTDEM200950162A4B	9.50	162	81	1
DTDEM200975168A4B	9.75	168	87	1
DTDEM201000168A4B	10.00	168	87	1
DTDEM201025168A4B	10.25	168	87	1
DTDEM201050168A4B	10.50	168	87	1
DTDEM201075175A4B	10.75	175	94	1
DTDEM201100175A4B	11.00	175	94	1
DTDEM201125175A4B	11.25	175	94	1
DTDEM201150175A4B	11.50	175	94	1
DTDEM201175175A4B	11.75	175	94	1
DTDEM201200182A4B	12.00	182	101	1
DTDEM201225182A4B	12.25	182	101	1
DTDEM201250182A4B	12.50	182	101	1
DTDEM201275182A4B	12.75	182	101	1
DTDEM201300182A4B	13.00	182	101	1
DTDEM201325189A4B	13.25	189	101	1
DTDEM201350189A4B	13.50	189	101	1
DTDEM201375189A4B	13.75	189	101	1
DTDEM201400189A4B	14.00	189	108	1
DTDEM201425212A4B	14.25	212	114	2
DTDEM201450212A4B	14.50	212	114	2
DTDEM201475212A4B	14.75	212	114	2
DTDEM201500212A4B	15.00	212	114	2
DTDEM201525218A4B	15.25	218	120	2
DTDEM201550218A4B	15.50	218	120	2
DTDEM201575218A4B	15.75	218	120	2
DTDEM201600218A4B	16.00	218	120	2
DTDEM201625223A4B	16.25	223	125	2
DTDEM201650223A4B	16.50	223	125	2
DTDEM201675223A4B	16.75	223	125	2
DTDEM201700223A4B	17.00	223	125	2
DTDEM201725228A4B	17.25	228	130	2
DTDEM201750228A4B	17.50	228	130	2
DTDEM201775228A4B	17.75	228	130	2

DIN 345 Morse Taper Shank Drills*Basic Information:****HSS****Slim Point****118° Point Angle****30° Helix Angle****Black Oxid**

DIN 345 Morse Taper Shank Drills

Item No.	Ø mm	L1 mm	L2 mm	MT*
DTDEM201800228A4B	18.00	228	130	2
DTDEM201825233A4B	18.25	233	135	2
DTDEM201850233A4B	18.50	233	135	2
DTDEM201875233A4B	18.75	233	135	2
DTDEM201900233A4B	19.00	233	135	2
DTDEM201925238A4B	19.25	238	140	2
DTDEM201950238A4B	19.50	238	140	2
DTDEM201975238A4B	19.75	238	140	2
DTDEM202000238A4B	20.00	238	140	2
DTDEM202025243A4B	20.25	243	145	2
DTDEM202050243A4B	20.50	243	145	2
DTDEM202075243A4B	20.75	243	145	2
DTDEM202100243A4B	21.00	243	145	2
DTDEM202125248A4B	21.25	248	150	2
DTDEM202150248A4B	21.50	248	150	2
DTDEM202175248A4B	21.75	248	150	2
DTDEM202200248A4B	22.00	248	150	2
DTDEM202200265A4B	22.00	265	150	3
DTDEM202225248A4B	22.25	248	150	2
DTDEM202250253A4B	22.50	253	155	2
DTDEM202275253A4B	22.75	253	155	2
DTDEM202300253A4B	23.00	253	155	2
DTDEM202325276A4B	23.25	276	155	3
DTDEM202350276A4B	23.50	276	155	3
DTDEM202375281A4B	23.75	281	160	3
DTDEM202400281A4B	24.00	281	160	3
DTDEM202425281A4B	24.25	281	160	3
DTDEM202450281A4B	24.50	281	160	3
DTDEM202475281A4B	24.75	281	160	3
DTDEM202500281A4B	25.00	281	160	3
DTDEM202525286A4B	25.25	286	165	3
DTDEM202550286A4B	25.50	286	165	3
DTDEM202575286A4B	25.75	286	165	3
DTDEM202600286A4B	26.00	286	165	3
DTDEM202625286A4B	26.25	286	165	3
DTDEM202650286A4B	26.50	286	165	3
DTDEM202675291A4B	26.75	291	170	3
DTDEM202700291A4B	27.00	291	170	3
DTDEM202725291A4B	27.25	291	170	3
DTDEM202750291A4B	27.50	291	170	3
DTDEM202775291A4B	27.75	291	170	3
DTDEM202800291A4B	28.00	291	170	3
DTDEM202825296A4B	28.25	296	175	3
DTDEM202850296A4B	28.50	296	175	3
DTDEM202875296A4B	28.75	296	175	3
DTDEM202900296A4B	29.00	296	175	3
DTDEM202925296A4B	29.25	296	175	3
DTDEM202950296A4B	29.50	296	175	3
DTDEM202975296A4B	29.75	296	175	3
DTDEM203000296A4B	30.00	296	175	3
DTDEM203025301A4B	30.25	301	180	3
DTDEM203050301A4B	30.50	301	180	3
DTDEM203075301A4B	30.75	301	180	3
DTDEM203100301A4B	31.00	301	180	3
DTDEM203125301A4B	31.25	301	180	3
DTDEM203150301A4B	31.50	301	180	3

DIN 345 Morse Taper Shank Drills*Basic Information:****HSS****Slim Point****118° Point Angle****30° Helix Angle****Black Oxid**

DIN 345 Morse Taper Shank Drills

Item No.	Ø mm	L1 mm	L2 mm	MT*
DTDEM203175306A4B	31.75	306	185	3
DTDEM203200334A4B	32.00	334	185	4
DTDEM203200334A4B	32.00	334	185	3
DTDEM203225334A4B	32.25	334	185	4
DTDEM203250334A4B	32.50	334	185	4
DTDEM203275334A4B	32.75	334	185	4
DTDEM203300334A4B	33.00	334	185	4
DTDEM203325334A4B	33.25	334	185	4
DTDEM203350334A4B	33.50	334	185	4
DTDEM203375339A4B	33.75	339	190	4
DTDEM203400339A4B	34.00	339	190	4
DTDEM203425339A4B	34.25	339	190	4
DTDEM203450339A4B	34.50	339	190	4
DTDEM203475339A4B	34.75	339	190	4
DTDEM203500339A4B	35.00	339	190	4
DTDEM203525339A4B	35.25	339	190	4
DTDEM203550339A4B	35.50	339	190	4
DTDEM203575344A4B	35.75	344	195	4
DTDEM203600344A4B	36.00	344	195	4
DTDEM203625344A4B	36.25	344	195	4
DTDEM203650344A4B	36.50	344	195	4
DTDEM203675344A4B	36.75	344	195	4
DTDEM203700344A4B	37.00	344	195	4
DTDEM203725344A4B	37.25	344	195	4
DTDEM203750344A4B	37.50	344	195	4
DTDEM203775344A4B	37.75	344	195	4
DTDEM203800349A4B	38.00	349	200	4
DTDEM203825349A4B	38.25	349	200	4
DTDEM203850349A4B	38.50	349	200	4
DTDEM203875349A4B	38.75	349	200	4
DTDEM203900349A4B	39.00	349	200	4
DTDEM203925349A4B	39.25	349	200	4
DTDEM203950349A4B	39.50	349	200	4
DTDEM203975349A4B	39.75	349	200	4
DTDEM204000349A4B	40.00	349	200	4
DTDEM204050354A4B	40.50	354	205	4
DTDEM204100354A4B	41.00	354	205	4
DTDEM204150354A4B	41.50	354	205	4
DTDEM204200354A4B	42.00	354	205	4
DTDEM204250354A4B	42.50	354	205	4
DTDEM204300359A4B	43.00	359	210	4
DTDEM204350359A4B	43.50	359	210	4
DTDEM204400359A4B	44.00	359	210	4
DTDEM204450359A4B	44.50	359	210	4
DTDEM204500359A4B	45.00	359	210	4
DTDEM204550364A4B	45.50	364	215	4
DTDEM204600364A4B	46.00	364	215	4
DTDEM204650364A4B	46.50	364	215	4
DTDEM204700364A4B	47.00	364	215	4
DTDEM204750364A4B	47.50	364	215	4
DTDEM204800369A4B	48.00	369	220	4
DTDEM204850369A4B	48.50	369	220	4
DTDEM204900369A4B	49.00	369	220	4
DTDEM204950369A4B	49.50	369	220	4
DTDEM205000369A4B	50.00	369	220	4
DTDEM205050369A4B	50.50	369	220	4

DIN 345 Morse Taper Shank Drills*Basic Information:****HSS****Slim Point****118° Point Angle****30° Helix Angle****Black Oxid**


DIN 345 Morse Taper Shank Drills

Item No.	Ø mm	L1 mm	L2 mm	MT*
DTDEM205100412A4B	51.00	412	225	5
DTDEM205150412A4B	51.50	412	225	5
DTDEM205200412A4B	52.00	412	225	5
DTDEM205250412A4B	52.50	412	225	5
DTDEM205300412A4B	53.00	412	225	5
DTDEM205350412A4B	53.50	412	225	5
DTDEM205400417A4B	54.00	417	230	5
DTDEM205450417A4B	54.50	417	230	5
DTDEM205500417A4B	55.00	417	230	5
DTDEM205600417A4B	56.00	417	230	5
DTDEM205700422A4B	57.00	422	235	5
DTDEM205800422A4B	58.00	422	235	5
DTDEM205900422A4B	59.00	422	235	5
DTDEM206000422A4B	60.00	422	235	5
DTDEM206100427A4B	61.00	427	240	5
DTDEM206200427A4B	62.00	427	240	5
DTDEM206300427A4B	63.00	427	240	5
DTDEM206400432A4B	64.00	432	245	5
DTDEM206500432A4B	65.00	432	245	5
DTDEM206600432A4B	66.00	432	245	5
DTDEM206700432A4B	67.00	432	245	5
DTDEM206800437A4B	68.00	437	250	5
DTDEM206900437A4B	69.00	437	250	5
DTDEM207000437A4B	70.00	437	250	5
DTDEM207100437A4B	71.00	437	250	5
DTDEM207200442A4B	72.00	442	255	5
DTDEM207300442A4B	73.00	442	255	5
DTDEM207400442A4B	74.00	442	255	5
DTDEM207500442A4B	75.00	442	255	5
DTDEM207600447A4B	76.00	447	260	5
DTDEM207700514A4B	77.00	514	260	6
DTDEM207800514A4B	78.00	514	260	6
DTDEM207900514A4B	79.00	514	260	6
DTDEM208000514A4B	80.00	514	260	6
DTDEM208100519A4B	81.00	519	265	6
DTDEM208200519A4B	82.00	519	265	6
DTDEM208300519A4B	83.00	519	265	6
DTDEM208400519A4B	84.00	519	265	6
DTDEM208500519A4B	85.00	519	265	6
DTDEM208600524A4B	86.00	524	270	6
DTDEM208700524A4B	87.00	524	270	6
DTDEM208800524A4B	88.00	524	270	6
DTDEM208900524A4B	89.00	524	270	6
DTDEM209000524A4B	90.00	524	270	6
DTDEM209100529A4B	91.00	529	275	6
DTDEM209200529A4B	92.00	529	275	6
DTDEM209300529A4B	93.00	529	275	6
DTDEM209400529A4B	94.00	529	275	6
DTDEM209500529A4B	95.00	529	275	6
DTDEM209600534A4B	96.00	534	280	6
DTDEM209700534A4B	97.00	534	280	6
DTDEM209800534A4B	98.00	534	280	6
DTDEM209900534A4B	99.00	534	280	6
DTDEM210000534A4B	100.00	534	280	6

DIN 345 Morse Taper Shank Drills*Basic Information:****HSS****Slim Point****118° Point Angle****30° Helix Angle****Black Oxid**

DIN 345 Morse Taper Shank Drills

Item No.	Ø	mm	L1 mm	L2 mm	MT*
DTDEM200300114A4T	3.00		114	33	1
DTDEM200350120A4T	3.50		120	43	1
DTDEM200400124A4T	4.00		124	43	1
DTDEM200450128A4T	4.50		128	47	1
DTDEM200500133A4T	5.00		133	52	1
DTDEM200525133A4T	5.25		133	52	1
DTDEM200550138A4T	5.50		138	57	1
DTDEM200575138A4T	5.75		138	57	1
DTDEM200600138A4T	6.00		138	57	1
DTDEM200625144A4T	6.25		144	63	1
DTDEM200650144A4T	6.50		144	63	1
DTDEM200675150A4T	6.75		150	69	1
DTDEM200700150A4T	7.00		150	69	1
DTDEM200725150A4T	7.25		150	69	1
DTDEM200750150A4T	7.50		150	69	1
DTDEM200775156A4T	7.75		156	75	1
DTDEM200800156A4T	8.00		156	75	1
DTDEM200825156A4T	8.25		156	75	1
DTDEM200850156A4T	8.50		156	75	1
DTDEM200875162A4T	8.75		162	81	1
DTDEM200900162A4T	9.00		162	81	1
DTDEM200925162A4T	9.25		162	81	1
DTDEM200950162A4T	9.50		162	81	1
DTDEM200975168A4T	9.75		168	87	1
DTDEM201000168A4T	10.00		168	87	1
DTDEM201025168A4T	10.25		168	87	1
DTDEM201050168A4T	10.50		168	87	1
DTDEM201075175A4T	10.75		175	94	1
DTDEM201100175A4T	11.00		175	94	1
DTDEM201125175A4T	11.25		175	94	1
DTDEM201150175A4T	11.50		175	94	1
DTDEM201175175A4T	11.75		175	94	1
DTDEM201200182A4T	12.00		182	101	1
DTDEM201225182A4T	12.25		182	101	1
DTDEM201250182A4T	12.50		182	101	1
DTDEM201275182A4T	12.75		182	101	1
DTDEM201300182A4T	13.00		182	101	1
DTDEM201325189A4T	13.25		189	101	1
DTDEM201350189A4T	13.50		189	101	1
DTDEM201375189A4T	13.75		189	101	1
DTDEM201400189A4T	14.00		189	108	1
DTDEM201425212A4T	14.25		212	114	2
DTDEM201450212A4T	14.50		212	114	2
DTDEM201475212A4T	14.75		212	114	2
DTDEM201500212A4T	15.00		212	114	2
DTDEM201525218A4T	15.25		218	120	2
DTDEM201550218A4T	15.50		218	120	2
DTDEM201575218A4T	15.75		218	120	2
DTDEM201600218A4T	16.00		218	120	2
DTDEM201625223A4T	16.25		223	125	2
DTDEM201650223A4T	16.50		223	125	2
DTDEM201675223A4T	16.75		223	125	2
DTDEM201700223A4T	17.00		223	125	2
DTDEM201725228A4T	17.25		228	130	2
DTDEM201750228A4T	17.50		228	130	2
DTDEM201775228A4T	17.75		228	130	2

DIN 345 Morse Taper Shank Drills*Basic Information:****HSS****Slim Point****118° Point Angle****30° Helix Angle****Tin Coating**

DIN 345 Morse Taper Shank Drills

Item No.	Ø	mm	L1 mm	L2 mm	MT*
DTDEM201800228A4T	18.00		228	130	2
DTDEM201825233A4T	18.25		233	135	2
DTDEM201850233A4T	18.50		233	135	2
DTDEM201875233A4T	18.75		233	135	2
DTDEM201900233A4T	19.00		233	135	2
DTDEM201925238A4T	19.25		238	140	2
DTDEM201950238A4T	19.50		238	140	2
DTDEM201975238A4T	19.75		238	140	2
DTDEM202000238A4T	20.00		238	140	2
DTDEM202025243A4T	20.25		243	145	2
DTDEM202050243A4T	20.50		243	145	2
DTDEM202075243A4T	20.75		243	145	2
DTDEM202100243A4T	21.00		243	145	2
DTDEM202125248A4T	21.25		248	150	2
DTDEM202150248A4T	21.50		248	150	2
DTDEM202175248A4T	21.75		248	150	2
DTDEM202200248A4T	22.00		248	150	2
DTDEM202200265A4T	22.00		265	150	3
DTDEM202225248A4T	22.25		248	150	2
DTDEM202250253A4T	22.50		253	155	2
DTDEM202275253A4T	22.75		253	155	2
DTDEM202300253A4T	23.00		253	155	2
DTDEM202325276A4T	23.25		276	155	3
DTDEM202350276A4T	23.50		276	155	3
DTDEM202375281A4T	23.75		281	160	3
DTDEM202400281A4T	24.00		281	160	3
DTDEM202425281A4T	24.25		281	160	3
DTDEM202450281A4T	24.50		281	160	3
DTDEM202475281A4T	24.75		281	160	3
DTDEM202500281A4T	25.00		281	160	3
DTDEM202525286A4T	25.25		286	165	3
DTDEM202550286A4T	25.50		286	165	3
DTDEM202575286A4T	25.75		286	165	3
DTDEM202600286A4T	26.00		286	165	3
DTDEM202625286A4T	26.25		286	165	3
DTDEM202650286A4T	26.50		286	165	3
DTDEM202675291A4T	26.75		291	170	3
DTDEM202700291A4T	27.00		291	170	3
DTDEM202725291A4T	27.25		291	170	3
DTDEM202750291A4T	27.50		291	170	3
DTDEM202775291A4T	27.75		291	170	3
DTDEM202800291A4T	28.00		291	170	3
DTDEM202825296A4T	28.25		296	175	3
DTDEM202850296A4T	28.50		296	175	3
DTDEM202875296A4T	28.75		296	175	3
DTDEM202900296A4T	29.00		296	175	3
DTDEM202925296A4T	29.25		296	175	3
DTDEM202950296A4T	29.50		296	175	3
DTDEM202975296A4T	29.75		296	175	3
DTDEM203000296A4T	30.00		296	175	3
DTDEM203025301A4T	30.25		301	180	3
DTDEM203050301A4T	30.50		301	180	3
DTDEM203075301A4T	30.75		301	180	3
DTDEM203100301A4T	31.00		301	180	3
DTDEM203125301A4T	31.25		301	180	3
DTDEM203150301A4T	31.50		301	180	3

*DIN 345 Morse Taper Shank Drills

Basic Information:


HSS

Slim Point

118° Point Angle

30° Helix Angle

Tin Coating



DIN 345 Morse Taper Shank Drills

Item No.	Ø mm	L1 mm	L2 mm	MT*
DTDEM203175306A4T	31.75	306	185	3
DTDEM203200334A4T	32.00	334	185	4
DTDEM203200334A4T	32.00	334	185	3
DTDEM203225334A4T	32.25	334	185	4
DTDEM203250334A4T	32.50	334	185	4
DTDEM203275334A4T	32.75	334	185	4
DTDEM203300334A4T	33.00	334	185	4
DTDEM203325334A4T	33.25	334	185	4
DTDEM203350334A4T	33.50	334	185	4
DTDEM203375339A4T	33.75	339	190	4
DTDEM203400339A4T	34.00	339	190	4
DTDEM203425339A4T	34.25	339	190	4
DTDEM203450339A4T	34.50	339	190	4
DTDEM203475339A4T	34.75	339	190	4
DTDEM203500339A4T	35.00	339	190	4
DTDEM203525339A4T	35.25	339	190	4
DTDEM203550339A4T	35.50	339	190	4
DTDEM203575344A4T	35.75	344	195	4
DTDEM203600344A4T	36.00	344	195	4
DTDEM203625344A4T	36.25	344	195	4
DTDEM203650344A4T	36.50	344	195	4
DTDEM203675344A4T	36.75	344	195	4
DTDEM203700344A4T	37.00	344	195	4
DTDEM203725344A4T	37.25	344	195	4
DTDEM203750344A4T	37.50	344	195	4
DTDEM203775344A4T	37.75	344	195	4
DTDEM203800349A4T	38.00	349	200	4
DTDEM203825349A4T	38.25	349	200	4
DTDEM203850349A4T	38.50	349	200	4
DTDEM203875349A4T	38.75	349	200	4
DTDEM203900349A4T	39.00	349	200	4
DTDEM203925349A4T	39.25	349	200	4
DTDEM203950349A4T	39.50	349	200	4
DTDEM203975349A4T	39.75	349	200	4
DTDEM204000349A4T	40.00	349	200	4
DTDEM204050354A4T	40.50	354	205	4
DTDEM204100354A4T	41.00	354	205	4
DTDEM204150354A4T	41.50	354	205	4
DTDEM204200354A4T	42.00	354	205	4
DTDEM204250354A4T	42.50	354	205	4
DTDEM204300359A4T	43.00	359	210	4
DTDEM204350359A4T	43.50	359	210	4
DTDEM204400359A4T	44.00	359	210	4
DTDEM204450359A4T	44.50	359	210	4
DTDEM204500359A4T	45.00	359	210	4
DTDEM204550364A4T	45.50	364	215	4
DTDEM204600364A4T	46.00	364	215	4
DTDEM204650364A4T	46.50	364	215	4
DTDEM204700364A4T	47.00	364	215	4
DTDEM204750364A4T	47.50	364	215	4
DTDEM204800369A4T	48.00	369	220	4
DTDEM204850369A4T	48.50	369	220	4
DTDEM204900369A4T	49.00	369	220	4
DTDEM204950369A4T	49.50	369	220	4
DTDEM205000369A4T	50.00	369	220	4
DTDEM205050369A4T	50.50	369	220	4

DIN 345 Morse Taper Shank Drills*Basic Information:****HSS****Slim Point****118° Point Angle****30° Helix Angle****Tin Coating**

DIN 345 Morse Taper Shank Drills

Item No.	Ø mm	L1 mm	L2 mm	MT*
DTDEM205100412A4T	51.00	412	225	5
DTDEM205150412A4T	51.50	412	225	5
DTDEM205200412A4T	52.00	412	225	5
DTDEM205250412A4T	52.50	412	225	5
DTDEM205300412A4T	53.00	412	225	5
DTDEM205350412A4T	53.50	412	225	5
DTDEM205400417A4T	54.00	417	230	5
DTDEM205450417A4T	54.50	417	230	5
DTDEM205500417A4T	55.00	417	230	5
DTDEM205600417A4T	56.00	417	230	5
DTDEM205700422A4T	57.00	422	235	5
DTDEM205800422A4T	58.00	422	235	5
DTDEM205900422A4T	59.00	422	235	5
DTDEM206000422A4T	60.00	422	235	5
DTDEM206100427A4T	61.00	427	240	5
DTDEM206200427A4T	62.00	427	240	5
DTDEM206300427A4T	63.00	427	240	5
DTDEM206400432A4T	64.00	432	245	5
DTDEM206500432A4T	65.00	432	245	5
DTDEM206600432A4T	66.00	432	245	5
DTDEM206700432A4T	67.00	432	245	5
DTDEM206800437A4T	68.00	437	250	5
DTDEM206900437A4T	69.00	437	250	5
DTDEM207000437A4T	70.00	437	250	5
DTDEM207100437A4T	71.00	437	250	5
DTDEM207200442A4T	72.00	442	255	5
DTDEM207300442A4T	73.00	442	255	5
DTDEM207400442A4T	74.00	442	255	5
DTDEM207500442A4T	75.00	442	255	5
DTDEM207600447A4T	76.00	447	260	5
DTDEM207700514A4T	77.00	514	260	6
DTDEM207800514A4T	78.00	514	260	6
DTDEM207900514A4T	79.00	514	260	6
DTDEM208000514A4T	80.00	514	260	6
DTDEM208100519A4T	81.00	519	265	6
DTDEM208200519A4T	82.00	519	265	6
DTDEM208300519A4T	83.00	519	265	6
DTDEM208400519A4T	84.00	519	265	6
DTDEM208500519A4T	85.00	519	265	6
DTDEM208600524A4T	86.00	524	270	6
DTDEM208700524A4T	87.00	524	270	6
DTDEM208800524A4T	88.00	524	270	6
DTDEM208900524A4T	89.00	524	270	6
DTDEM209000524A4T	90.00	524	270	6
DTDEM209100529A4T	91.00	529	275	6
DTDEM209200529A4T	92.00	529	275	6
DTDEM209300529A4T	93.00	529	275	6
DTDEM209400529A4T	94.00	529	275	6
DTDEM209500529A4T	95.00	529	275	6
DTDEM209600534A4T	96.00	534	280	6
DTDEM209700534A4T	97.00	534	280	6
DTDEM209800534A4T	98.00	534	280	6
DTDEM209900534A4T	99.00	534	280	6
DTDEM210000534A4T	100.00	534	280	6

DIN 345 Morse Taper Shank Drills*Basic Information:****HSS****Slim Point****118° Point Angle****30° Helix Angle****Tin Coating**