

SDS Plus Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSDP4110502L	4	5/32"	110	50
DSDP41601002L	4	5/32"	160	100
DSDP5110502L	5	13/64"	110	50
DSDP51601002L	5	13/64"	160	100
DSDP51801202L	5	13/64"	180	120
DSDP52101502L	5	13/64"	210	150
DSDP52602002L	5	13/64"	260	200
DSDP53102502L	5	13/64"	310	250
DSDP53502902L	5	13/64"	350	290
DSDP54103502L	5	13/64"	410	350
DSDP54604002L	5	13/64"	460	400
DSDP5.5110502L	5.5	7/32"	110	50
DSDP5.51601002L	5.5	7/32"	160	100
DSDP5.51801202L	5.5	7/32"	180	120
DSDP5.52101502L	5.5	7/32"	210	150
DSDP5.52602002L	5.5	7/32"	260	200
DSDP5.53102502L	5.5	7/32"	310	250
DSDP5.53502902L	5.5	7/32"	350	290
DSDP5.54103502L	5.5	7/32"	410	350
DSDP5.54604002L	5.5	7/32"	460	400
DSDP6110502L	6	15/64"	110	50
DSDP61601002L	6	15/64"	160	100
DSDP61801202L	6	15/64"	180	120
DSDP62101502L	6	15/64"	210	150
DSDP62602002L	6	15/64"	260	200
DSDP63102502L	6	15/64"	310	250
DSDP63502902L	6	15/64"	350	290
DSDP64103502L	6	15/64"	410	350
DSDP64604002L	6	15/64"	460	400
DSDP65504902L	6	15/64"	550	490
DSDP66005402L	6	15/64"	600	540
DSDP6.5110502L	6.5	17/64"	110	50
DSDP6.51601002L	6.5	17/64"	160	100
DSDP6.51801202L	6.5	17/64"	180	120
DSDP6.52101502L	6.5	17/64"	210	150
DSDP6.52602002L	6.5	17/64"	260	200
DSDP6.53102502L	6.5	17/64"	310	250
DSDP6.53502902L	6.5	17/64"	350	290
DSDP6.54103502L	6.5	17/64"	410	350
DSDP6.54604002L	6.5	17/64"	460	400
DSDP6.55504902L	6.5	17/64"	550	490
DSDP6.56005402L	6.5	17/64"	600	540
DSDP7110502L	7	9/32"	110	50
DSDP71601002L	7	9/32"	160	100
DSDP71801202L	7	9/32"	180	120
DSDP72101502L	7	9/32"	210	150
DSDP72602002L	7	9/32"	260	200
DSDP73102502L	7	9/32"	310	250
DSDP73502902L	7	9/32"	350	290
DSDP74103502L	7	9/32"	410	350
DSDP74604002L	7	9/32"	460	400
DSDP75504902L	7	9/32"	550	490
DSDP76005402L	7	9/32"	600	540
DSDP8110502L	8	5/16"	110	50
DSDP81601002L	8	5/16"	160	100
DSDP81801202L	8	5/16"	180	120
DSDP82101502L	8	5/16"	210	150
DSDP82602002L	8	5/16"	260	200
DSDP83102502L	8	5/16"	310	250
DSDP83502902L	8	5/16"	350	290
DSDP84103502L	8	5/16"	410	350
DSDP84604002L	8	5/16"	460	400
DSDP85504902L	8	5/16"	550	490
DSDP86005402L	8	5/16"	600	540
DSDP88007402L	8	5/16"	800	740
DSDP9110502L	9	23/64"	110	50
DSDP91601002L	9	23/64"	160	100
DSDP91801202L	9	23/64"	180	120
DSDP92101502L	9	23/64"	210	150
DSDP92602002L	9	23/64"	260	200

*Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry materials

*40Cr YG8c sandblasted finished Single Tip Single Flute SDS Plus Drill Bit for concrete.



SDS Plus Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSDP93102502L	9	23/64"	310	250
DSDP93502902L	9	23/64"	350	290
DSDP94103502L	9	23/64"	410	350
DSDP94604002L	9	23/64"	460	400
DSDP95504902L	9	23/64"	550	490
DSDP96005402L	9	23/64"	600	540
DSDP98007402L	9	23/64"	800	740
DSDP10110502L	10	25/64"	110	50
DSDP101601002L	10	25/64"	160	100
DSDP101801202L	10	25/64"	180	120
DSDP102101502L	10	25/64"	210	150
DSDP102602002L	10	25/64"	260	200
DSDP103102502L	10	25/64"	310	250
DSDP103502902L	10	25/64"	350	290
DSDP104103502L	10	25/64"	410	350
DSDP104604002L	10	25/64"	460	400
DSDP105504902L	10	25/64"	550	490
DSDP106005402L	10	25/64"	600	540
DSDP108007402L	10	25/64"	800	740
DSDP1010009402L	10	25/64"	1000	940
DSDP11110502L	11	7/16"	110	50
DSDP111601002L	11	7/16"	160	100
DSDP111801202L	11	7/16"	180	120
DSDP112101502L	11	7/16"	210	150
DSDP112602002L	11	7/16"	260	200
DSDP113102502L	11	7/16"	310	250
DSDP113502902L	11	7/16"	350	290
DSDP114103502L	11	7/16"	410	350
DSDP114604002L	11	7/16"	460	400
DSDP115504902L	11	7/16"	550	490
DSDP116005402L	11	7/16"	600	540
DSDP118007402L	11	7/16"	800	740
DSDP1110009402L	11	7/16"	1000	940
DSDP121601002L	12	15/32"	160	100
DSDP121801202L	12	15/32"	180	120
DSDP122101502L	12	15/32"	210	150
DSDP122602002L	12	15/32"	260	200
DSDP123102502L	12	15/32"	310	250
DSDP123502902L	12	15/32"	350	290
DSDP124103502L	12	15/32"	410	350
DSDP124604002L	12	15/32"	460	400
DSDP125504902L	12	15/32"	550	490
DSDP126005402L	12	15/32"	600	540
DSDP128007402L	12	15/32"	800	740
DSDP1210009402L	12	15/32"	1000	940
DSDP131601002L	13	33/64"	160	100
DSDP131801202L	13	33/64"	180	120
DSDP132101502L	13	33/64"	210	150
DSDP132602002L	13	33/64"	260	200
DSDP133102502L	13	33/64"	310	250
DSDP133502902L	13	33/64"	350	290
DSDP134103502L	13	33/64"	410	350
DSDP134604002L	13	33/64"	460	400
DSDP135504902L	13	33/64"	550	490
DSDP136005402L	13	33/64"	600	540
DSDP138007402L	13	33/64"	800	740
DSDP1310009402L	13	33/64"	1000	940
DSDP141601002L	14	35/64"	160	100
DSDP141801202L	14	35/64"	180	120
DSDP142101502L	14	35/64"	210	150
DSDP142602002L	14	35/64"	260	200
DSDP143102502L	14	35/64"	310	250
DSDP143502902L	14	35/64"	350	290
DSDP144103502L	14	35/64"	410	350
DSDP144604002L	14	35/64"	460	400
DSDP145504902L	14	35/64"	550	490
DSDP146005402L	14	35/64"	600	540
DSDP148007402L	14	35/64"	800	740
DSDP1410009402L	14	35/64"	1000	940
DSDP151601002L	15	19/32"	160	100
DSDP151801202L	15	19/32"	180	120

*Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry materials
*40Cr YG8c sandblasted finished Single Tip Single Flute SDS Plus Drill Bit for concrete.



SDS Plus Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSDP152101502L	15	19/32"	210	150
DSDP152602002L	15	19/32"	260	200
DSDP153102502L	15	19/32"	310	250
DSDP153502902L	15	19/32"	350	290
DSDP154103502L	15	19/32"	410	350
DSDP154604002L	15	19/32"	460	400
DSDP155504902L	15	19/32"	550	490
DSDP156005402L	15	19/32"	600	540
DSDP158007402L	15	19/32"	800	740
DSDP1510009402L	15	19/32"	1000	940
DSDP161601002L	16	5/8"	160	100
DSDP161801202L	16	5/8"	180	120
DSDP162101502L	16	5/8"	210	150
DSDP162602002L	16	5/8"	260	200
DSDP163102502L	16	5/8"	310	250
DSDP163502902L	16	5/8"	350	290
DSDP164103502L	16	5/8"	410	350
DSDP164604002L	16	5/8"	460	400
DSDP165504902L	16	5/8"	550	490
DSDP166005402L	16	5/8"	600	540
DSDP168007402L	16	5/8"	800	740
DSDP1610009402L	16	5/8"	1000	940
DSDP181601002L	18	45/64"	160	100
DSDP181801202L	18	45/64"	180	120
DSDP182101502L	18	45/64"	210	150
DSDP182602002L	18	45/64"	260	200
DSDP183102502L	18	45/64"	310	250
DSDP183502902L	18	45/64"	350	290
DSDP184103502L	18	45/64"	410	350
DSDP184604002L	18	45/64"	460	400
DSDP185504902L	18	45/64"	550	490
DSDP186005402L	18	45/64"	600	540
DSDP188007402L	18	45/64"	800	740
DSDP1810009402L	18	45/64"	1000	940
DSDP191601002L	19	3/4"	160	100
DSDP191801202L	19	3/4"	180	120
DSDP192101502L	19	3/4"	210	150
DSDP192602002L	19	3/4"	260	200
DSDP193102502L	19	3/4"	310	250
DSDP193502902L	19	3/4"	350	290
DSDP194103502L	19	3/4"	410	350
DSDP194604002L	19	3/4"	460	400
DSDP195504902L	19	3/4"	550	490
DSDP196005402L	19	3/4"	600	540
DSDP198007402L	19	3/4"	800	740
DSDP1910009402L	19	3/4"	1000	940
DSDP201601002L	20	13/16"	160	100
DSDP201801202L	20	13/16"	180	120
DSDP202101502L	20	13/16"	210	150
DSDP202602002L	20	13/16"	260	200
DSDP203102502L	20	13/16"	310	250
DSDP203502902L	20	13/16"	350	290
DSDP204103502L	20	13/16"	410	350
DSDP204604002L	20	13/16"	460	400
DSDP205504902L	20	13/16"	550	490
DSDP206005402L	20	13/16"	600	540
DSDP208007402L	20	13/16"	800	740
DSDP2010009402L	20	13/16"	1000	940
DSDP221601002L	22	55/64"	160	100
DSDP221801202L	22	55/64"	180	120
DSDP222101502L	22	55/64"	210	150
DSDP222602002L	22	55/64"	260	200
DSDP223102502L	22	55/64"	310	250
DSDP223502902L	22	55/64"	350	290
DSDP224103502L	22	55/64"	410	350
DSDP224604002L	22	55/64"	460	400
DSDP225504902L	22	55/64"	550	490
DSDP226005402L	22	55/64"	600	540
DSDP228007402L	22	55/64"	800	740
DSDP2210009402L	22	55/64"	1000	940
DSDP241601002L	24	61/64"	160	100

*Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry materials
*40Cr YG8c sandblasted finished Single Tip Single Flute SDS Plus Drill Bit for concrete.



SDS Plus Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSDP241801202L	24	61/64"	180	120
DSDP242101502L	24	61/64"	210	150
DSDP242602002L	24	61/64"	260	200
DSDP243102502L	24	61/64"	310	250
DSDP243502902L	24	61/64"	350	290
DSDP244103502L	24	61/64"	410	350
DSDP244604002L	24	61/64"	460	400
DSDP245504902L	24	61/64"	550	490
DSDP246005402L	24	61/64"	600	540
DSDP248007402L	24	61/64"	800	740
DSDP2410009402L	24	61/64"	1000	940
DSDP251601002L	25	63/64"	160	100
DSDP251801202L	25	63/64"	180	120
DSDP252101502L	25	63/64"	210	150
DSDP252602002L	25	63/64"	260	200
DSDP253102502L	25	63/64"	310	250
DSDP253502902L	25	63/64"	350	290
DSDP254103502L	25	63/64"	410	350
DSDP254604002L	25	63/64"	460	400
DSDP255504902L	25	63/64"	550	490
DSDP256005402L	25	63/64"	600	540
DSDP258007402L	25	63/64"	800	740
DSDP2510009402L	25	63/64"	1000	940
DSDP261601002L	26	1-1/32"	160	100
DSDP261801202L	26	1-1/32"	180	120
DSDP262101502L	26	1-1/32"	210	150
DSDP262602002L	26	1-1/32"	260	200
DSDP263102502L	26	1-1/32"	310	250
DSDP263502902L	26	1-1/32"	350	290
DSDP264103502L	26	1-1/32"	410	350
DSDP264604002L	26	1-1/32"	460	400
DSDP265504902L	26	1-1/32"	550	490
DSDP266005402L	26	1-1/32"	600	540
DSDP268007402L	26	1-1/32"	800	740
DSDP2610009402L	26	1-1/32"	1000	940
DSDP281601002L	28	1-7/64"	160	100
DSDP281801202L	28	1-7/64"	180	120
DSDP282101502L	28	1-7/64"	210	150
DSDP282602002L	28	1-7/64"	260	200
DSDP283102502L	28	1-7/64"	310	250
DSDP283502902L	28	1-7/64"	350	290
DSDP284103502L	28	1-7/64"	410	350
DSDP284604002L	28	1-7/64"	460	400
DSDP285504902L	28	1-7/64"	550	490
DSDP286005402L	28	1-7/64"	600	540
DSDP288007402L	28	1-7/64"	800	740
DSDP2810009402L	28	1-7/64"	1000	940
DSDP301601002L	30	1-3/16"	160	100
DSDP301801202L	30	1-3/16"	180	120
DSDP302101502L	30	1-3/16"	210	150
DSDP302602002L	30	1-3/16"	260	200
DSDP303102502L	30	1-3/16"	310	250
DSDP303502902L	30	1-3/16"	350	290
DSDP304103502L	30	1-3/16"	410	350
DSDP304604002L	30	1-3/16"	460	400
DSDP305504902L	30	1-3/16"	550	490
DSDP306005402L	30	1-3/16"	600	540
DSDP308007402L	30	1-3/16"	800	740
DSDP3010009402L	30	1-3/16"	1000	940
DSDP321601002L	32	1-17/64"	160	100
DSDP321801202L	32	1-17/64"	180	120
DSDP322101502L	32	1-17/64"	210	150
DSDP322602002L	32	1-17/64"	260	200
DSDP323102502L	32	1-17/64"	310	250
DSDP323502902L	32	1-17/64"	350	290
DSDP324103502L	32	1-17/64"	410	350
DSDP324604002L	32	1-17/64"	460	400
DSDP325504902L	32	1-17/64"	550	490
DSDP326005402L	32	1-17/64"	600	540
DSDP328007402L	32	1-17/64"	800	740
DSDP3210009402L	32	1-17/64"	1000	940

*Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry materials
 *40Cr YG8c sandblasted finished Single Tip Single Flute SDS Plus Drill Bit for concrete.



SDS Plus Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSDP5110504L	5	13/64"	110	50
DSDP51601004L	5	13/64"	160	100
DSDP51801204L	5	13/64"	180	120
DSDP52101504L	5	13/64"	210	150
DSDP52602004L	5	13/64"	260	200
DSDP53102504L	5	13/64"	310	250
DSDP53502904L	5	13/64"	350	290
DSDP54103504L	5	13/64"	410	350
DSDP54604004L	5	13/64"	460	400
DSDP5.5110504L	5.5	7/32"	110	50
DSDP5.51601004L	5.5	7/32"	160	100
DSDP5.51801204L	5.5	7/32"	180	120
DSDP5.52101504L	5.5	7/32"	210	150
DSDP5.52602004L	5.5	7/32"	260	200
DSDP5.53102504L	5.5	7/32"	310	250
DSDP5.53502904L	5.5	7/32"	350	290
DSDP5.54103504L	5.5	7/32"	410	350
DSDP5.54604004L	5.5	7/32"	460	400
DSDP6110504L	6	15/64"	110	50
DSDP61601004L	6	15/64"	160	100
DSDP61801204L	6	15/64"	180	120
DSDP62101504L	6	15/64"	210	150
DSDP62602004L	6	15/64"	260	200
DSDP63102504L	6	15/64"	310	250
DSDP63502904L	6	15/64"	350	290
DSDP64103504L	6	15/64"	410	350
DSDP64604004L	6	15/64"	460	400
DSDP65504904L	6	15/64"	550	490
DSDP66005404L	6	15/64"	600	540
DSDP6.5110504L	6.5	17/64"	110	50
DSDP6.51601004L	6.5	17/64"	160	100
DSDP6.51801204L	6.5	17/64"	180	120
DSDP6.52101504L	6.5	17/64"	210	150
DSDP6.52602004L	6.5	17/64"	260	200
DSDP6.53102504L	6.5	17/64"	310	250
DSDP6.53502904L	6.5	17/64"	350	290
DSDP6.54103504L	6.5	17/64"	410	350
DSDP6.54604004L	6.5	17/64"	460	400
DSDP6.55504904L	6.5	17/64"	550	490
DSDP6.56005404L	6.5	17/64"	600	540
DSDP7110504L	7	9/32"	110	50
DSDP71601004L	7	9/32"	160	100
DSDP71801204L	7	9/32"	180	120
DSDP72101504L	7	9/32"	210	150
DSDP72602004L	7	9/32"	260	200
DSDP73102504L	7	9/32"	310	250
DSDP73502904L	7	9/32"	350	290
DSDP74103504L	7	9/32"	410	350
DSDP74604004L	7	9/32"	460	400
DSDP75504904L	7	9/32"	550	490
DSDP76005404L	7	9/32"	600	540
DSDP8110504L	8	5/16"	110	50
DSDP81601004L	8	5/16"	160	100
DSDP81801204L	8	5/16"	180	120
DSDP82101504L	8	5/16"	210	150
DSDP82602004L	8	5/16"	260	200
DSDP83102504L	8	5/16"	310	250
DSDP83502904L	8	5/16"	350	290
DSDP84103504L	8	5/16"	410	350
DSDP84604004L	8	5/16"	460	400
DSDP85504904L	8	5/16"	550	490
DSDP86005404L	8	5/16"	600	540
DSDP88007404L	8	5/16"	800	740
DSDP9110504L	9	23/64"	110	50

*Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry materials

*40Cr YG8c sandblasted finished 4 cutter Single Flute SDS Plus Drill Bit for concrete.



SDS Plus Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSDP91601004L	9	23/64"	160	100
DSDP91801204L	9	23/64"	180	120
DSDP92101504L	9	23/64"	210	150
DSDP92602004L	9	23/64"	260	200
DSDP93102504L	9	23/64"	310	250
DSDP93502904L	9	23/64"	350	290
DSDP94103504L	9	23/64"	410	350
DSDP94604004L	9	23/64"	460	400
DSDP95504904L	9	23/64"	550	490
DSDP96005404L	9	23/64"	600	540
DSDP98007404L	9	23/64"	800	740
DSDP10110504L	10	25/64"	110	50
DSDP101601004L	10	25/64"	160	100
DSDP101801204L	10	25/64"	180	120
DSDP102101504L	10	25/64"	210	150
DSDP102602004L	10	25/64"	260	200
DSDP103102504L	10	25/64"	310	250
DSDP103502904L	10	25/64"	350	290
DSDP104103504L	10	25/64"	410	350
DSDP104604004L	10	25/64"	460	400
DSDP105504904L	10	25/64"	550	490
DSDP106005404L	10	25/64"	600	540
DSDP108007404L	10	25/64"	800	740
DSDP1010009404L	10	25/64"	1000	940
DSDP11110504L	11	7/16"	110	50
DSDP111601004L	11	7/16"	160	100
DSDP111801204L	11	7/16"	180	120
DSDP112101504L	11	7/16"	210	150
DSDP112602004L	11	7/16"	260	200
DSDP113102504L	11	7/16"	310	250
DSDP113502904L	11	7/16"	350	290
DSDP114103504L	11	7/16"	410	350
DSDP114604004L	11	7/16"	460	400
DSDP115504904L	11	7/16"	550	490
DSDP116005404L	11	7/16"	600	540
DSDP118007404L	11	7/16"	800	740
DSDP1110009404L	11	7/16"	1000	940
DSDP121601004L	12	15/32"	160	100
DSDP121801204L	12	15/32"	180	120
DSDP122101504L	12	15/32"	210	150
DSDP122602004L	12	15/32"	260	200
DSDP123102504L	12	15/32"	310	250
DSDP123502904L	12	15/32"	350	290
DSDP124103504L	12	15/32"	410	350
DSDP124604004L	12	15/32"	460	400
DSDP125504904L	12	15/32"	550	490
DSDP126005404L	12	15/32"	600	540
DSDP128007404L	12	15/32"	800	740
DSDP1210009404L	12	15/32"	1000	940
DSDP131601004L	13	33/64"	160	100
DSDP131801204L	13	33/64"	180	120
DSDP132101504L	13	33/64"	210	150
DSDP132602004L	13	33/64"	260	200
DSDP133102504L	13	33/64"	310	250
DSDP133502904L	13	33/64"	350	290

※Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry materials

※40Cr YG8c sandblasted finished 4 cutter Single Flute SDS Plus Drill Bit for concrete.



SDS Plus Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSDP134103504L	13	33/64"	410	350
DSDP134604004L	13	33/64"	460	400
DSDP135504904L	13	33/64"	550	490
DSDP136005404L	13	33/64"	600	540
DSDP138007404L	13	33/64"	800	740
DSDP1310009404L	13	33/64"	1000	940
DSDP141601004L	14	35/64"	160	100
DSDP141801204L	14	35/64"	180	120
DSDP142101504L	14	35/64"	210	150
DSDP142602004L	14	35/64"	260	200
DSDP143102504L	14	35/64"	310	250
DSDP143502904L	14	35/64"	350	290
DSDP144103504L	14	35/64"	410	350
DSDP144604004L	14	35/64"	460	400
DSDP145504904L	14	35/64"	550	490
DSDP146005404L	14	35/64"	600	540
DSDP148007404L	14	35/64"	800	740
DSDP1410009404L	14	35/64"	1000	940
DSDP151601004L	15	19/32"	160	100
DSDP151801204L	15	19/32"	180	120
DSDP152101504L	15	19/32"	210	150
DSDP152602004L	15	19/32"	260	200
DSDP153102504L	15	19/32"	310	250
DSDP153502904L	15	19/32"	350	290
DSDP154103504L	15	19/32"	410	350
DSDP154604004L	15	19/32"	460	400
DSDP155504904L	15	19/32"	550	490
DSDP156005404L	15	19/32"	600	540
DSDP158007404L	15	19/32"	800	740
DSDP1510009404L	15	19/32"	1000	940
DSDP161601004L	16	5/8"	160	100
DSDP161801204L	16	5/8"	180	120
DSDP162101504L	16	5/8"	210	150
DSDP162602004L	16	5/8"	260	200
DSDP163102504L	16	5/8"	310	250
DSDP163502904L	16	5/8"	350	290
DSDP164103504L	16	5/8"	410	350
DSDP164604004L	16	5/8"	460	400
DSDP165504904L	16	5/8"	550	490
DSDP166005404L	16	5/8"	600	540
DSDP168007404L	16	5/8"	800	740
DSDP1610009404L	16	5/8"	1000	940
DSDP181601004L	18	45/64"	160	100
DSDP181801204L	18	45/64"	180	120
DSDP182101504L	18	45/64"	210	150
DSDP182602004L	18	45/64"	260	200
DSDP183102504L	18	45/64"	310	250
DSDP183502904L	18	45/64"	350	290
DSDP184103504L	18	45/64"	410	350
DSDP184604004L	18	45/64"	460	400
DSDP185504904L	18	45/64"	550	490
DSDP186005404L	18	45/64"	600	540
DSDP188007404L	18	45/64"	800	740
DSDP1810009404L	18	45/64"	1000	940
DSDP191601004L	19	3/4"	160	100

※Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry materials

※40Cr YG8c sandblasted finished 4 cutter Single Flute SDS Plus Drill Bit for concrete.



SDS Plus Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSDP191801204L	19	3/4"	180	120
DSDP192101504L	19	3/4"	210	150
DSDP192602004L	19	3/4"	260	200
DSDP193102504L	19	3/4"	310	250
DSDP193502904L	19	3/4"	350	290
DSDP194103504L	19	3/4"	410	350
DSDP194604004L	19	3/4"	460	400
DSDP195504904L	19	3/4"	550	490
DSDP196005404L	19	3/4"	600	540
DSDP198007404L	19	3/4"	800	740
DSDP1910009404L	19	3/4"	1000	940
DSDP201601004L	20	13/16"	160	100
DSDP201801204L	20	13/16"	180	120
DSDP202101504L	20	13/16"	210	150
DSDP202602004L	20	13/16"	260	200
DSDP203102504L	20	13/16"	310	250
DSDP203502904L	20	13/16"	350	290
DSDP204103504L	20	13/16"	410	350
DSDP204604004L	20	13/16"	460	400
DSDP205504904L	20	13/16"	550	490
DSDP206005404L	20	13/16"	600	540
DSDP208007404L	20	13/16"	800	740
DSDP2010009404L	20	13/16"	1000	940
DSDP221601004L	22	55/64"	160	100
DSDP221801204L	22	55/64"	180	120
DSDP222101504L	22	55/64"	210	150
DSDP222602004L	22	55/64"	260	200
DSDP223102504L	22	55/64"	310	250
DSDP223502904L	22	55/64"	350	290
DSDP224103504L	22	55/64"	410	350
DSDP224604004L	22	55/64"	460	400
DSDP225504904L	22	55/64"	550	490
DSDP226005404L	22	55/64"	600	540
DSDP228007404L	22	55/64"	800	740
DSDP2210009404L	22	55/64"	1000	940
DSDP241601004L	24	61/64"	160	100
DSDP241801204L	24	61/64"	180	120
DSDP242101504L	24	61/64"	210	150
DSDP242602004L	24	61/64"	260	200
DSDP243102504L	24	61/64"	310	250
DSDP243502904L	24	61/64"	350	290
DSDP244103504L	24	61/64"	410	350
DSDP244604004L	24	61/64"	460	400
DSDP245504904L	24	61/64"	550	490
DSDP246005404L	24	61/64"	600	540
DSDP248007404L	24	61/64"	800	740
DSDP2410009404L	24	61/64"	1000	940
DSDP251601004L	25	63/64"	160	100
DSDP251801204L	25	63/64"	180	120
DSDP252101504L	25	63/64"	210	150
DSDP252602004L	25	63/64"	260	200
DSDP253102504L	25	63/64"	310	250
DSDP253502904L	25	63/64"	350	290
DSDP254103504L	25	63/64"	410	350
DSDP254604004L	25	63/64"	460	400

※Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry materials

※40Cr YG8c sandblasted finished 4 cutter Single Flute SDS Plus Drill Bit for concrete.



SDS Plus Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSDP255504904L	25	63/64"	550	490
DSDP256005404L	25	63/64"	600	540
DSDP258007404L	25	63/64"	800	740
DSDP2510009404L	25	63/64"	1000	940
DSDP261601004L	26	1-1/32"	160	100
DSDP261801204L	26	1-1/32"	180	120
DSDP262101504L	26	1-1/32"	210	150
DSDP262602004L	26	1-1/32"	260	200
DSDP263102504L	26	1-1/32"	310	250
DSDP263502904L	26	1-1/32"	350	290
DSDP264103504L	26	1-1/32"	410	350
DSDP264604004L	26	1-1/32"	460	400
DSDP265504904L	26	1-1/32"	550	490
DSDP266005404L	26	1-1/32"	600	540
DSDP268007404L	26	1-1/32"	800	740
DSDP2610009404L	26	1-1/32"	1000	940
DSDP281601004L	28	1-7/64"	160	100
DSDP281801204L	28	1-7/64"	180	120
DSDP282101504L	28	1-7/64"	210	150
DSDP282602004L	28	1-7/64"	260	200
DSDP283102504L	28	1-7/64"	310	250
DSDP283502904L	28	1-7/64"	350	290
DSDP284103504L	28	1-7/64"	410	350
DSDP284604004L	28	1-7/64"	460	400
DSDP285504904L	28	1-7/64"	550	490
DSDP286005404L	28	1-7/64"	600	540
DSDP288007404L	28	1-7/64"	800	740
DSDP2810009404L	28	1-7/64"	1000	940
DSDP301601004L	30	1-3/16"	160	100
DSDP301801204L	30	1-3/16"	180	120
DSDP302101504L	30	1-3/16"	210	150
DSDP302602004L	30	1-3/16"	260	200
DSDP303102504L	30	1-3/16"	310	250
DSDP303502904L	30	1-3/16"	350	290
DSDP304103504L	30	1-3/16"	410	350
DSDP304604004L	30	1-3/16"	460	400
DSDP305504904L	30	1-3/16"	550	490
DSDP306005404L	30	1-3/16"	600	540
DSDP308007404L	30	1-3/16"	800	740
DSDP3010009404L	30	1-3/16"	1000	940
DSDP321601004L	32	1-17/64"	160	100
DSDP321801204L	32	1-17/64"	180	120
DSDP322101504L	32	1-17/64"	210	150
DSDP322602004L	32	1-17/64"	260	200
DSDP323102504L	32	1-17/64"	310	250
DSDP323502904L	32	1-17/64"	350	290
DSDP324103504L	32	1-17/64"	410	350
DSDP324604004L	32	1-17/64"	460	400
DSDP325504904L	32	1-17/64"	550	490
DSDP326005404L	32	1-17/64"	600	540
DSDP328007404L	32	1-17/64"	800	740
DSDP3210009404L	32	1-17/64"	1000	940

※Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry materials

※40Cr YG8c sandblasted finished 4 cutter Single Flute SDS Plus Drill Bit for concrete.



Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSDP51105044H	5	13/64"	110	50
DSDP516010044H	5	13/64"	160	100
DSDP518012044H	5	13/64"	180	120
DSDP521015044H	5	13/64"	210	150
DSDP526020044H	5	13/64"	260	200
DSDP531025044H	5	13/64"	310	250
DSDP535029044H	5	13/64"	350	290
DSDP541035044H	5	13/64"	410	350
DSDP546040044H	5	13/64"	460	400
DSDP5.51105044H	5.5	7/32"	110	50
DSDP5.516010044H	5.5	7/32"	160	100
DSDP5.518012044H	5.5	7/32"	180	120
DSDP5.521015044H	5.5	7/32"	210	150
DSDP5.526020044H	5.5	7/32"	260	200
DSDP5.531025044H	5.5	7/32"	310	250
DSDP5.535029044H	5.5	7/32"	350	290
DSDP5.541035044H	5.5	7/32"	410	350
DSDP5.546040044H	5.5	7/32"	460	400
DSDP61105044H	6	15/64"	110	50
DSDP616010044H	6	15/64"	160	100
DSDP618012044H	6	15/64"	180	120
DSDP621015044H	6	15/64"	210	150
DSDP626020044H	6	15/64"	260	200
DSDP631025044H	6	15/64"	310	250
DSDP635029044H	6	15/64"	350	290
DSDP641035044H	6	15/64"	410	350
DSDP646040044H	6	15/64"	460	400
DSDP655049044H	6	15/64"	550	490
DSDP660054044H	6	15/64"	600	540
DSDP6.51105044H	6.5	17/64"	110	50
DSDP6.516010044H	6.5	17/64"	160	100
DSDP6.518012044H	6.5	17/64"	180	120
DSDP6.521015044H	6.5	17/64"	210	150
DSDP6.526020044H	6.5	17/64"	260	200
DSDP6.531025044H	6.5	17/64"	310	250
DSDP6.535029044H	6.5	17/64"	350	290
DSDP6.541035044H	6.5	17/64"	410	350
DSDP6.546040044H	6.5	17/64"	460	400
DSDP6.555049044H	6.5	17/64"	550	490
DSDP6.560054044H	6.5	17/64"	600	540
DSDP71105044H	7	9/32"	110	50
DSDP716010044H	7	9/32"	160	100
DSDP718012044H	7	9/32"	180	120
DSDP721015044H	7	9/32"	210	150
DSDP726020044H	7	9/32"	260	200
DSDP731025044H	7	9/32"	310	250
DSDP735029044H	7	9/32"	350	290
DSDP741035044H	7	9/32"	410	350
DSDP746040044H	7	9/32"	460	400
DSDP755049044H	7	9/32"	550	490
DSDP760054044H	7	9/32"	600	540
DSDP81105044H	8	5/16"	110	50
DSDP816010044H	8	5/16"	160	100
DSDP818012044H	8	5/16"	180	120
DSDP821015044H	8	5/16"	210	150

✱Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry materials

✱40Cr YG8c sandblasted finished 4 cutter Double Flute SDS Plus Drill Bit for concrete.



SDS Plus Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSDP826020044H	8	5/16"	260	200
DSDP831025044H	8	5/16"	310	250
DSDP835029044H	8	5/16"	350	290
DSDP841035044H	8	5/16"	410	350
DSDP846040044H	8	5/16"	460	400
DSDP855049044H	8	5/16"	550	490
DSDP860054044H	8	5/16"	600	540
DSDP880074044H	8	5/16"	800	740
DSDP91105044H	9	23/64"	110	50
DSDP916010044H	9	23/64"	160	100
DSDP918012044H	9	23/64"	180	120
DSDP921015044H	9	23/64"	210	150
DSDP926020044H	9	23/64"	260	200
DSDP931025044H	9	23/64"	310	250
DSDP935029044H	9	23/64"	350	290
DSDP941035044H	9	23/64"	410	350
DSDP946040044H	9	23/64"	460	400
DSDP955049044H	9	23/64"	550	490
DSDP960054044H	9	23/64"	600	540
DSDP980074044H	9	23/64"	800	740
DSDP101105044H	10	25/64"	110	50
DSDP1016010044H	10	25/64"	160	100
DSDP1018012044H	10	25/64"	180	120
DSDP1021015044H	10	25/64"	210	150
DSDP1026020044H	10	25/64"	260	200
DSDP1031025044H	10	25/64"	310	250
DSDP1035029044H	10	25/64"	350	290
DSDP1041035044H	10	25/64"	410	350
DSDP1046040044H	10	25/64"	460	400
DSDP1055049044H	10	25/64"	550	490
DSDP1060054044H	10	25/64"	600	540
DSDP1080074044H	10	25/64"	800	740
DSDP10100094044H	10	25/64"	1000	940
DSDP111105044H	11	7/16"	110	50
DSDP1116010044H	11	7/16"	160	100
DSDP1118012044H	11	7/16"	180	120
DSDP1121015044H	11	7/16"	210	150
DSDP1126020044H	11	7/16"	260	200
DSDP1131025044H	11	7/16"	310	250
DSDP1135029044H	11	7/16"	350	290
DSDP1141035044H	11	7/16"	410	350
DSDP1146040044H	11	7/16"	460	400
DSDP1155049044H	11	7/16"	550	490
DSDP1160054044H	11	7/16"	600	540
DSDP1180074044H	11	7/16"	800	740
DSDP11100094044H	11	7/16"	1000	940
DSDP1216010044H	12	15/32"	160	100
DSDP1218012044H	12	15/32"	180	120
DSDP1221015044H	12	15/32"	210	150
DSDP1226020044H	12	15/32"	260	200
DSDP1231025044H	12	15/32"	310	250
DSDP1235029044H	12	15/32"	350	290
DSDP1241035044H	12	15/32"	410	350
DSDP1246040044H	12	15/32"	460	400
DSDP1255049044H	12	15/32"	550	490
DSDP1260054044H	12	15/32"	600	540

✱Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry materials

✱40Cr YG8c sandblasted finished 4 cutter Double Flute SDS Plus Drill Bit for concrete.



SDS Plus Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSDP1280074044H	12	15/32"	800	740
DSDP12100094044H	12	15/32"	1000	940
DSDP1316010044H	13	33/64"	160	100
DSDP1318012044H	13	33/64"	180	120
DSDP1321015044H	13	33/64"	210	150
DSDP1326020044H	13	33/64"	260	200
DSDP1331025044H	13	33/64"	310	250
DSDP1335029044H	13	33/64"	350	290
DSDP1341035044H	13	33/64"	410	350
DSDP1346040044H	13	33/64"	460	400
DSDP1355049044H	13	33/64"	550	490
DSDP1360054044H	13	33/64"	600	540
DSDP1380074044H	13	33/64"	800	740
DSDP13100094044H	13	33/64"	1000	940
DSDP1416010044H	14	35/64"	160	100
DSDP1418012044H	14	35/64"	180	120
DSDP1421015044H	14	35/64"	210	150
DSDP1426020044H	14	35/64"	260	200
DSDP1431025044H	14	35/64"	310	250
DSDP1435029044H	14	35/64"	350	290
DSDP1441035044H	14	35/64"	410	350
DSDP1446040044H	14	35/64"	460	400
DSDP1455049044H	14	35/64"	550	490
DSDP1460054044H	14	35/64"	600	540
DSDP1480074044H	14	35/64"	800	740
DSDP14100094044H	14	35/64"	1000	940
DSDP1516010044H	15	19/32"	160	100
DSDP1518012044H	15	19/32"	180	120
DSDP1521015044H	15	19/32"	210	150
DSDP1526020044H	15	19/32"	260	200
DSDP1531025044H	15	19/32"	310	250
DSDP1535029044H	15	19/32"	350	290
DSDP1541035044H	15	19/32"	410	350
DSDP1546040044H	15	19/32"	460	400
DSDP1555049044H	15	19/32"	550	490
DSDP1560054044H	15	19/32"	600	540
DSDP1580074044H	15	19/32"	800	740
DSDP15100094044H	15	19/32"	1000	940
DSDP1616010044H	16	5/8"	160	100
DSDP1618012044H	16	5/8"	180	120
DSDP1621015044H	16	5/8"	210	150
DSDP1626020044H	16	5/8"	260	200
DSDP1631025044H	16	5/8"	310	250
DSDP1635029044H	16	5/8"	350	290
DSDP1641035044H	16	5/8"	410	350
DSDP1646040044H	16	5/8"	460	400
DSDP1655049044H	16	5/8"	550	490
DSDP1660054044H	16	5/8"	600	540
DSDP1680074044H	16	5/8"	800	740
DSDP16100094044H	16	5/8"	1000	940
DSDP1816010044H	18	45/64"	160	100
DSDP1818012044H	18	45/64"	180	120
DSDP1821015044H	18	45/64"	210	150
DSDP1826020044H	18	45/64"	260	200
DSDP1831025044H	18	45/64"	310	250
DSDP1835029044H	18	45/64"	350	290

※Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry materials

※40Cr YG8c sandblasted finished 4 cutter Double Flute SDS Plus Drill Bit for concrete.



SDS Plus Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSDP1841035044H	18	45/64"	410	350
DSDP1846040044H	18	45/64"	460	400
DSDP1855049044H	18	45/64"	550	490
DSDP1860054044H	18	45/64"	600	540
DSDP1880074044H	18	45/64"	800	740
DSDP18100094044H	18	45/64"	1000	940
DSDP1916010044H	19	3/4"	160	100
DSDP1918012044H	19	3/4"	180	120
DSDP1921015044H	19	3/4"	210	150
DSDP1926020044H	19	3/4"	260	200
DSDP1931025044H	19	3/4"	310	250
DSDP1935029044H	19	3/4"	350	290
DSDP1941035044H	19	3/4"	410	350
DSDP1946040044H	19	3/4"	460	400
DSDP1955049044H	19	3/4"	550	490
DSDP1960054044H	19	3/4"	600	540
DSDP1980074044H	19	3/4"	800	740
DSDP19100094044H	19	3/4"	1000	940
DSDP2016010044H	20	13/16"	160	100
DSDP2018012044H	20	13/16"	180	120
DSDP2021015044H	20	13/16"	210	150
DSDP2026020044H	20	13/16"	260	200
DSDP2031025044H	20	13/16"	310	250
DSDP2035029044H	20	13/16"	350	290
DSDP2041035044H	20	13/16"	410	350
DSDP2046040044H	20	13/16"	460	400
DSDP2055049044H	20	13/16"	550	490
DSDP2060054044H	20	13/16"	600	540
DSDP2080074044H	20	13/16"	800	740
DSDP20100094044H	20	13/16"	1000	940
DSDP2216010044H	22	55/64"	160	100
DSDP2218012044H	22	55/64"	180	120
DSDP2221015044H	22	55/64"	210	150
DSDP2226020044H	22	55/64"	260	200
DSDP2231025044H	22	55/64"	310	250
DSDP2235029044H	22	55/64"	350	290
DSDP2241035044H	22	55/64"	410	350
DSDP2246040044H	22	55/64"	460	400
DSDP2255049044H	22	55/64"	550	490
DSDP2260054044H	22	55/64"	600	540
DSDP2280074044H	22	55/64"	800	740
DSDP22100094044H	22	55/64"	1000	940
DSDP2416010044H	24	61/64"	160	100
DSDP2418012044H	24	61/64"	180	120
DSDP2421015044H	24	61/64"	210	150
DSDP2426020044H	24	61/64"	260	200
DSDP2431025044H	24	61/64"	310	250
DSDP2435029044H	24	61/64"	350	290
DSDP2441035044H	24	61/64"	410	350
DSDP2446040044H	24	61/64"	460	400
DSDP2455049044H	24	61/64"	550	490
DSDP2460054044H	24	61/64"	600	540
DSDP2480074044H	24	61/64"	800	740
DSDP24100094044H	24	61/64"	1000	940
DSDP2516010044H	25	63/64"	160	100
DSDP2518012044H	25	63/64"	180	120

✱Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry materials

✱40Cr YG8c sandblasted finished 4 cutter Double Flute SDS Plus Drill Bit for concrete.



Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSDP2521015044H	25	63/64"	210	150
DSDP2526020044H	25	63/64"	260	200
DSDP2531025044H	25	63/64"	310	250
DSDP2535029044H	25	63/64"	350	290
DSDP2541035044H	25	63/64"	410	350
DSDP2546040044H	25	63/64"	460	400
DSDP2555049044H	25	63/64"	550	490
DSDP2560054044H	25	63/64"	600	540
DSDP2580074044H	25	63/64"	800	740
DSDP25100094044H	25	63/64"	1000	940
DSDP2616010044H	26	1-1/32"	160	100
DSDP2618012044H	26	1-1/32"	180	120
DSDP2621015044H	26	1-1/32"	210	150
DSDP2626020044H	26	1-1/32"	260	200
DSDP2631025044H	26	1-1/32"	310	250
DSDP2635029044H	26	1-1/32"	350	290
DSDP2641035044H	26	1-1/32"	410	350
DSDP2646040044H	26	1-1/32"	460	400
DSDP2655049044H	26	1-1/32"	550	490
DSDP2660054044H	26	1-1/32"	600	540
DSDP2680074044H	26	1-1/32"	800	740
DSDP26100094044H	26	1-1/32"	1000	940
DSDP2816010044H	28	1-7/64"	160	100
DSDP2818012044H	28	1-7/64"	180	120
DSDP2821015044H	28	1-7/64"	210	150
DSDP2826020044H	28	1-7/64"	260	200
DSDP2831025044H	28	1-7/64"	310	250
DSDP2835029044H	28	1-7/64"	350	290
DSDP2841035044H	28	1-7/64"	410	350
DSDP2846040044H	28	1-7/64"	460	400
DSDP2855049044H	28	1-7/64"	550	490
DSDP2860054044H	28	1-7/64"	600	540
DSDP2880074044H	28	1-7/64"	800	740
DSDP28100094044H	28	1-7/64"	1000	940
DSDP3016010044H	30	1-3/16"	160	100
DSDP3018012044H	30	1-3/16"	180	120
DSDP3021015044H	30	1-3/16"	210	150
DSDP3026020044H	30	1-3/16"	260	200
DSDP3031025044H	30	1-3/16"	310	250
DSDP3035029044H	30	1-3/16"	350	290
DSDP3041035044H	30	1-3/16"	410	350
DSDP3046040044H	30	1-3/16"	460	400
DSDP3055049044H	30	1-3/16"	550	490
DSDP3060054044H	30	1-3/16"	600	540
DSDP3080074044H	30	1-3/16"	800	740
DSDP30100094044H	30	1-3/16"	1000	940
DSDP3216010044H	32	1-17/64"	160	100
DSDP3218012044H	32	1-17/64"	180	120
DSDP3221015044H	32	1-17/64"	210	150
DSDP3226020044H	32	1-17/64"	260	200
DSDP3231025044H	32	1-17/64"	310	250
DSDP3235029044H	32	1-17/64"	350	290
DSDP3241035044H	32	1-17/64"	410	350
DSDP3246040044H	32	1-17/64"	460	400
DSDP3255049044H	32	1-17/64"	550	490
DSDP3260054044H	32	1-17/64"	600	540

*Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry materials

*40Cr YG8c sandblasted finished 4 cutter Double Flute SDS Plus Drill Bit for concrete.



SDS Plus Chisel

Item No.	Size (mm)	Ancho (mm)	OAL length (mm)	OAL length (inch)
DSDP14140P	14	Point	140	5-33/64"
DSDP14160P	14	Point	160	6-5/16"
DSDP14250P	14	Point	250	9-27/32"
DSDP14280P	14	Point	280	11-39/64"

*Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry

*40Cr sandblasted finished SDS-Puls Shank Point Chisel



Item No.	Size (mm)	Ancho (mm)	OAL length (mm)	OAL length (inch)
DSDP1420140	14	20	140	5-33/64"
DSDP1420160	14	20	160	6-5/16"
DSDP1420250	14	20	250	9-27/32"
DSDP1420280	14	20	280	11-39/64"

*Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry

*40Cr sandblasted finished SDS-Puls Shank Flat Chisel.



Item No.	Size (mm)	Ancho (mm)	Ancho (inch)	OAL length (mm)
DSDP1430140	14	30	1-3/16"	140
DSDP1430160	14	30	1-3/16"	160
DSDP1440250	14	40	1-37/64"	250
DSDP1440280	14	40	1-37/64"	280
DSDP1450250	14	50	1-31/32"	250
DSDP1450280	14	50	1-31/32"	280
DSDP1475250	14	75	2-61/64"	250
DSDP1475280	14	75	2-61/64"	280
DSDP14115250	14	115	4-17/32"	250
DSDP14115280	14	115	4-17/32"	280

*Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry

*40Cr sandblasted finished SDS-Puls Shank Wide Flat Chisel.



Item No.	Size (mm)	Ancho (mm)	OAL length (mm)	OAL length (inch)
DSDP1422250G	14	22	250	9-27/32"
DSDP1422280G	14	22	280	11-39/64"

*Fits all rotary hammers with SDS-Puls and hilti TE-C+ chucks, for fast cutting in concrete,brick,stone and other masonry

*40Cr sandblasted finished SDS-Puls Shank Groove Chisel.



SDS Max Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSD62801702H	6	15/64"	280	170
DSD82601502H	8	5/16"	260	150
DSD82801702H	8	5/16"	280	170
DSD102801702H	10	25/64"	280	170
DSD103102002H	10	25/64"	310	200
DSD103502402H	10	25/64"	350	240
DSD104002902H	10	25/64"	400	290
DSD104603502H	10	25/64"	460	350
DSD105053952H	10	25/64"	505	395
DSD122501402H	12	15/32"	250	140
DSD122801702H	12	15/32"	280	170
DSD123001902H	12	15/32"	300	190
DSD123402302H	12	15/32"	340	230
DSD123502402H	12	15/32"	350	240
DSD124002902H	12	15/32"	400	290
DSD125053952H	12	15/32"	505	395
DSD125404302H	12	15/32"	540	430
DSD126004902H	12	15/32"	600	490
DSD127005902H	12	15/32"	700	590
DSD128006902H	12	15/32"	800	690
DSD1210008902H	12	15/32"	1000	890
DSD142501402H	14	35/64"	250	140
DSD142801702H	14	35/64"	280	170
DSD143001902H	14	35/64"	300	190
DSD143402302H	14	35/64"	340	230
DSD143502402H	14	35/64"	350	240
DSD143902802H	14	35/64"	390	280
DSD144002902H	14	35/64"	400	290
DSD145053952H	14	35/64"	505	395
DSD145404302H	14	35/64"	540	430
DSD146004902H	14	35/64"	600	490
DSD147005902H	14	35/64"	700	590
DSD148006902H	14	35/64"	800	690
DSD1410008902H	14	35/64"	1000	890
DSD162501402H	16	5/8"	250	140
DSD162801702H	16	5/8"	280	170
DSD163001902H	16	5/8"	300	190
DSD163402302H	16	5/8"	340	230
DSD163502402H	16	5/8"	350	240
DSD163902802H	16	5/8"	390	280
DSD164002902H	16	5/8"	400	290
DSD165003902H	16	5/8"	500	390
DSD165204102H	16	5/8"	520	410
DSD165404302H	16	5/8"	540	430
DSD166004902H	16	5/8"	600	490
DSD166705602H	16	5/8"	670	560
DSD167005902H	16	5/8"	700	590
DSD168006902H	16	5/8"	800	690
DSD169208102H	16	5/8"	920	810
DSD1610008902H	16	5/8"	1000	890
DSD182801702H	18	45/64"	280	170
DSD183001902H	18	45/64"	300	190
DSD183402302H	18	45/64"	340	230
DSD183502402H	18	45/64"	350	240
DSD183902802H	18	45/64"	390	280

※Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials

※40Cr YG8c sandblasted finished 2 cutter single Flute SDS MAX Drill Bit for concrete.



SDS Max Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSD184002902H	18	45/64"	400	290
DSD185003902H	18	45/64"	500	390
DSD185404302H	18	45/64"	540	430
DSD186004902H	18	45/64"	600	490
DSD187005902H	18	45/64"	700	590
DSD188006902H	18	45/64"	800	690
DSD1810008902H	18	45/64"	1000	890
DSD202501402H	20	13/16"	250	140
DSD202801702H	20	13/16"	280	170
DSD203001902H	20	13/16"	300	190
DSD203202102H	20	13/16"	320	210
DSD203502402H	20	13/16"	350	240
DSD203702602H	20	13/16"	370	260
DSD204002902H	20	13/16"	400	290
DSD204503402H	20	13/16"	450	340
DSD205003902H	20	13/16"	500	390
DSD205204102H	20	13/16"	520	410
DSD206004902H	20	13/16"	600	490
DSD207005902H	20	13/16"	700	590
DSD208006902H	20	13/16"	800	690
DSD2010008902H	20	13/16"	1000	890
DSD222801702H	22	55/64"	280	170
DSD223001902H	22	55/64"	300	190
DSD223202102H	22	55/64"	320	210
DSD223502402H	22	55/64"	350	240
DSD224002902H	22	55/64"	400	290
DSD225003902H	22	55/64"	500	390
DSD225204102H	22	55/64"	520	410
DSD226004902H	22	55/64"	600	490
DSD227005902H	22	55/64"	700	590
DSD228006902H	22	55/64"	800	690
DSD2210008902H	22	55/64"	1000	890
DSD242601502H	24	61/64"	260	150
DSD243001902H	24	61/64"	300	190
DSD243102002H	24	61/64"	310	200
DSD243202102H	24	61/64"	320	210
DSD243502402H	24	61/64"	350	240
DSD244002902H	24	61/64"	400	290
DSD245053952H	24	61/64"	505	395
DSD245204102H	24	61/64"	520	410
DSD245404302H	24	61/64"	540	430
DSD246004902H	24	61/64"	600	490
DSD248006902H	24	61/64"	800	690
DSD2410008902H	24	61/64"	1000	890
DSD24120010902H	24	61/64"	1200	1090
DSD252801702H	25	63/64"	280	170
DSD253001902H	25	63/64"	300	190
DSD253202102H	25	63/64"	320	210
DSD253502402H	25	63/64"	350	240
DSD254002902H	25	63/64"	400	290
DSD254503402H	25	63/64"	450	340
DSD255003902H	25	63/64"	500	390
DSD255204102H	25	63/64"	520	410
DSD256004902H	25	63/64"	600	490
DSD257005902H	25	63/64"	700	590

※Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials

※40Cr YG8c sandblasted finished 2 cutter single Flute SDS MAX Drill Bit for concrete.



Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSD258006902H	25	63/64"	800	690
DSD259208102H	25	63/64"	920	810
DSD2510008902H	25	63/64"	1000	890
DSD263702602H	26	1-1/32"	370	260
DSD265204102H	26	1-1/32"	520	410
DSD266004902H	26	1-1/32"	600	490
DSD268006902H	26	1-1/32"	800	690
DSD282801702H	28	1-7/64"	280	170
DSD283001902H	28	1-7/64"	300	190
DSD283202102H	28	1-7/64"	320	210
DSD283502402H	28	1-7/64"	350	240
DSD283702602H	28	1-7/64"	370	260
DSD284002902H	28	1-7/64"	400	290
DSD285003902H	28	1-7/64"	500	390
DSD285704602H	28	1-7/64"	570	460
DSD286004902H	28	1-7/64"	600	490
DSD287005902H	28	1-7/64"	700	590
DSD288006902H	28	1-7/64"	800	690
DSD2810008902H	28	1-7/64"	1000	890
DSD302801702H	30	1-3/16"	280	170
DSD303001902H	30	1-3/16"	300	190
DSD303502402H	30	1-3/16"	350	240
DSD303702602H	30	1-3/16"	370	260
DSD304002902H	30	1-3/16"	400	290
DSD304503402H	30	1-3/16"	450	340
DSD305003902H	30	1-3/16"	500	390
DSD305704602H	30	1-3/16"	570	460
DSD306004902H	30	1-3/16"	600	490
DSD307005902H	30	1-3/16"	700	590
DSD308006902H	30	1-3/16"	800	690
DSD3010008902H	30	1-3/16"	1000	890
DSD322801702H	32	1-17/64"	280	170
DSD323502402H	32	1-17/64"	350	240
DSD323702602H	32	1-17/64"	370	260
DSD324002902H	32	1-17/64"	400	290
DSD325003902H	32	1-17/64"	500	390
DSD325204102H	32	1-17/64"	520	410
DSD325704602H	32	1-17/64"	570	460
DSD326004902H	32	1-17/64"	600	490
DSD327005902H	32	1-17/64"	700	590
DSD328006902H	32	1-17/64"	800	690
DSD329208102H	32	1-17/64"	920	810
DSD3210008902H	32	1-17/64"	1000	890
DSD32132012102H	32	1-17/64"	1320	1210
DSD352801702H	35	1-3/8"	280	170
DSD353402302H	35	1-3/8"	340	230
DSD353502402H	35	1-3/8"	350	240
DSD353702602H	35	1-3/8"	370	260
DSD354002902H	35	1-3/8"	400	290
DSD355003902H	35	1-3/8"	500	390
DSD355404302H	35	1-3/8"	540	430
DSD355704602H	35	1-3/8"	570	460
DSD356004902H	35	1-3/8"	600	490
DSD357005902H	35	1-3/8"	700	590
DSD358006902H	35	1-3/8"	800	690

*Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials

*40Cr YG8c sandblasted finished 2 cutter single Flute SDS MAX Drill Bit for concrete.



SDS Max Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSD3510008902H	35	1-3/8"	1000	890
DSD383402302H	38	1-1/2"	340	230
DSD383502402H	38	1-1/2"	350	240
DSD383702602H	38	1-1/2"	370	260
DSD384002902H	38	1-1/2"	400	290
DSD385003902H	38	1-1/2"	500	390
DSD385404302H	38	1-1/2"	540	430
DSD385704602H	38	1-1/2"	570	460
DSD386004902H	38	1-1/2"	600	490
DSD387005902H	38	1-1/2"	700	590
DSD388006902H	38	1-1/2"	800	690
DSD3810008902H	38	1-1/2"	1000	890
DSD403402302H	40	1-37/64"	340	230
DSD403502402H	40	1-37/64"	350	240
DSD403702602H	40	1-37/64"	370	260
DSD404002902H	40	1-37/64"	400	290
DSD405003902H	40	1-37/64"	500	390
DSD405404302H	40	1-37/64"	540	430
DSD405704602H	40	1-37/64"	570	460
DSD406004902H	40	1-37/64"	600	490
DSD407005902H	40	1-37/64"	700	590
DSD408006902H	40	1-37/64"	800	690
DSD4010008902H	40	1-37/64"	1000	890
DSD40132012102H	40	1-37/64"	1320	1210
DSD426004902H	42	1-21/32"	600	490
DSD428006902H	42	1-21/32"	800	690
DSD455003902H	45	1-25/32"	500	390
DSD455704602H	45	1-25/32"	570	460
DSD459208102H	45	1-25/32"	920	810
DSD4510008902H	45	1-25/32"	1000	890
DSD505704602H	50	2"	570	460
DSD525704602H	52	2-1/16"	570	460
DSD5510008902H	55	2-11/64"	1000	890

※Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials

※40Cr YG8c sandblasted finished 2 cutter single Flute SDS MAX Drill Bit for concrete.



SDS Max Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSD62801704H	6	15/64"	280	170
DSD82601504H	8	5/16"	260	150
DSD82801704H	8	5/16"	280	170
DSD102801704H	10	25/64"	280	170
DSD103102004H	10	25/64"	310	200
DSD103502404H	10	25/64"	350	240
DSD104002904H	10	25/64"	400	290
DSD104603504H	10	25/64"	460	350
DSD105053954H	10	25/64"	505	395
DSD122501404H	12	15/32"	250	140
DSD122801704H	12	15/32"	280	170
DSD123001904H	12	15/32"	300	190
DSD123402304H	12	15/32"	340	230
DSD123502404H	12	15/32"	350	240
DSD124002904H	12	15/32"	400	290
DSD125053954H	12	15/32"	505	395
DSD125404304H	12	15/32"	540	430
DSD126004904H	12	15/32"	600	490
DSD127005904H	12	15/32"	700	590
DSD128006904H	12	15/32"	800	690
DSD1210008904H	12	15/32"	1000	890
DSD142501404H	14	35/64"	250	140
DSD142801704H	14	35/64"	280	170
DSD143001904H	14	35/64"	300	190
DSD143402304H	14	35/64"	340	230
DSD143502404H	14	35/64"	350	240
DSD143902804H	14	35/64"	390	280
DSD144002904H	14	35/64"	400	290
DSD145053954H	14	35/64"	505	395
DSD145404304H	14	35/64"	540	430
DSD146004904H	14	35/64"	600	490
DSD147005904H	14	35/64"	700	590
DSD148006904H	14	35/64"	800	690
DSD1410008904H	14	35/64"	1000	890
DSD162501404H	16	5/8"	250	140
DSD162801704H	16	5/8"	280	170
DSD163001904H	16	5/8"	300	190
DSD163402304H	16	5/8"	340	230
DSD163502404H	16	5/8"	350	240
DSD163902804H	16	5/8"	390	280
DSD164002904H	16	5/8"	400	290
DSD165003904H	16	5/8"	500	390
DSD165204104H	16	5/8"	520	410
DSD165404304H	16	5/8"	540	430
DSD166004904H	16	5/8"	600	490
DSD166705604H	16	5/8"	670	560
DSD167005904H	16	5/8"	700	590
DSD168006904H	16	5/8"	800	690
DSD169208104H	16	5/8"	920	810
DSD1610008904H	16	5/8"	1000	890
DSD182801704H	18	45/64"	280	170
DSD183001904H	18	45/64"	300	190
DSD183402304H	18	45/64"	340	230
DSD183502404H	18	45/64"	350	240
DSD183902804H	18	45/64"	390	280

※Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials

※40Cr YG8c sandblasted finished 4 cutter single Flute SDS MAX Drill Bit for concrete.



SDS Max Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSD184002904H	18	45/64"	400	290
DSD185003904H	18	45/64"	500	390
DSD185404304H	18	45/64"	540	430
DSD186004904H	18	45/64"	600	490
DSD187005904H	18	45/64"	700	590
DSD188006904H	18	45/64"	800	690
DSD1810008904H	18	45/64"	1000	890
DSD202501404H	20	13/16"	250	140
DSD202801704H	20	13/16"	280	170
DSD203001904H	20	13/16"	300	190
DSD203202104H	20	13/16"	320	210
DSD203502404H	20	13/16"	350	240
DSD203702604H	20	13/16"	370	260
DSD204002904H	20	13/16"	400	290
DSD204503404H	20	13/16"	450	340
DSD205003904H	20	13/16"	500	390
DSD205204104H	20	13/16"	520	410
DSD206004904H	20	13/16"	600	490
DSD207005904H	20	13/16"	700	590
DSD208006904H	20	13/16"	800	690
DSD2010008904H	20	13/16"	1000	890
DSD222801704H	22	55/64"	280	170
DSD223001904H	22	55/64"	300	190
DSD223202104H	22	55/64"	320	210
DSD223502404H	22	55/64"	350	240
DSD224002904H	22	55/64"	400	290
DSD225003904H	22	55/64"	500	390
DSD225204104H	22	55/64"	520	410
DSD226004904H	22	55/64"	600	490
DSD227005904H	22	55/64"	700	590
DSD228006904H	22	55/64"	800	690
DSD2210008904H	22	55/64"	1000	890
DSD242601504H	24	61/64"	260	150
DSD243001904H	24	61/64"	300	190
DSD243102004H	24	61/64"	310	200
DSD243202104H	24	61/64"	320	210
DSD243502404H	24	61/64"	350	240
DSD244002904H	24	61/64"	400	290
DSD245053954H	24	61/64"	505	395
DSD245204104H	24	61/64"	520	410
DSD245404304H	24	61/64"	540	430
DSD246004904H	24	61/64"	600	490
DSD248006904H	24	61/64"	800	690
DSD2410008904H	24	61/64"	1000	890
DSD24120010904H	24	61/64"	1200	1090
DSD252801704H	25	63/64"	280	170
DSD253001904H	25	63/64"	300	190
DSD253202104H	25	63/64"	320	210
DSD253502404H	25	63/64"	350	240
DSD254002904H	25	63/64"	400	290
DSD254503404H	25	63/64"	450	340
DSD255003904H	25	63/64"	500	390
DSD255204104H	25	63/64"	520	410
DSD256004904H	25	63/64"	600	490
DSD257005904H	25	63/64"	700	590

※Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials

※40Cr YG8c sandblasted finished 4 cutter single Flute SDS MAX Drill Bit for concrete.



SDS Max Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSD258006904H	25	63/64"	800	690
DSD259208104H	25	63/64"	920	810
DSD2510008904H	25	63/64"	1000	890
DSD263702604H	26	1-1/32"	370	260
DSD265204104H	26	1-1/32"	520	410
DSD266004904H	26	1-1/32"	600	490
DSD268006904H	26	1-1/32"	800	690
DSD282801704H	28	1-7/64"	280	170
DSD283001904H	28	1-7/64"	300	190
DSD283202104H	28	1-7/64"	320	210
DSD283502404H	28	1-7/64"	350	240
DSD283702604H	28	1-7/64"	370	260
DSD284002904H	28	1-7/64"	400	290
DSD285003904H	28	1-7/64"	500	390
DSD285704604H	28	1-7/64"	570	460
DSD286004904H	28	1-7/64"	600	490
DSD287005904H	28	1-7/64"	700	590
DSD288006904H	28	1-7/64"	800	690
DSD2810008904H	28	1-7/64"	1000	890
DSD302801704H	30	1-3/16"	280	170
DSD303001904H	30	1-3/16"	300	190
DSD303502404H	30	1-3/16"	350	240
DSD303702604H	30	1-3/16"	370	260
DSD304002904H	30	1-3/16"	400	290
DSD304503404H	30	1-3/16"	450	340
DSD305003904H	30	1-3/16"	500	390
DSD305704604H	30	1-3/16"	570	460
DSD306004904H	30	1-3/16"	600	490
DSD307005904H	30	1-3/16"	700	590
DSD308006904H	30	1-3/16"	800	690
DSD3010008904H	30	1-3/16"	1000	890
DSD322801704H	32	1-17/64"	280	170
DSD323502404H	32	1-17/64"	350	240
DSD323702604H	32	1-17/64"	370	260
DSD324002904H	32	1-17/64"	400	290
DSD325003904H	32	1-17/64"	500	390
DSD325204104H	32	1-17/64"	520	410
DSD325704604H	32	1-17/64"	570	460
DSD326004904H	32	1-17/64"	600	490
DSD327005904H	32	1-17/64"	700	590
DSD328006904H	32	1-17/64"	800	690
DSD329208104H	32	1-17/64"	920	810
DSD3210008904H	32	1-17/64"	1000	890
DSD32132012104H	32	1-17/64"	1320	1210
DSD352801704H	35	1-3/8"	280	170
DSD353402304H	35	1-3/8"	340	230
DSD353502404H	35	1-3/8"	350	240
DSD353702604H	35	1-3/8"	370	260
DSD354002904H	35	1-3/8"	400	290
DSD355003904H	35	1-3/8"	500	390
DSD355404304H	35	1-3/8"	540	430
DSD355704604H	35	1-3/8"	570	460
DSD356004904H	35	1-3/8"	600	490
DSD357005904H	35	1-3/8"	700	590
DSD358006904H	35	1-3/8"	800	690

※Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials

※40Cr YG8c sandblasted finished 4 cutter single Flute SDS MAX Drill Bit for concrete.



SDS Max Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSD3510008904H	35	1-3/8"	1000	890
DSD383402304H	38	1-1/2"	340	230
DSD383502404H	38	1-1/2"	350	240
DSD383702604H	38	1-1/2"	370	260
DSD384002904H	38	1-1/2"	400	290
DSD385003904H	38	1-1/2"	500	390
DSD385404304H	38	1-1/2"	540	430
DSD385704604H	38	1-1/2"	570	460
DSD386004904H	38	1-1/2"	600	490
DSD387005904H	38	1-1/2"	700	590
DSD388006904H	38	1-1/2"	800	690
DSD3810008904H	38	1-1/2"	1000	890
DSD403402304H	40	1-37/64"	340	230
DSD403502404H	40	1-37/64"	350	240
DSD403702604H	40	1-37/64"	370	260
DSD404002904H	40	1-37/64"	400	290
DSD405003904H	40	1-37/64"	500	390
DSD405404304H	40	1-37/64"	540	430
DSD405704604H	40	1-37/64"	570	460
DSD406004904H	40	1-37/64"	600	490
DSD407005904H	40	1-37/64"	700	590
DSD408006904H	40	1-37/64"	800	690
DSD4010008904H	40	1-37/64"	1000	890
DSD40132012104H	40	1-37/64"	1320	1210
DSD426004904H	42	1-21/32"	600	490
DSD428006904H	42	1-21/32"	800	690
DSD455003904H	45	1-25/32"	500	390
DSD455704604H	45	1-25/32"	570	460
DSD459208104H	45	1-25/32"	920	810
DSD4510008904H	45	1-25/32"	1000	890
DSD505704604H	50	2"	570	460
DSD525704604H	52	2-1/16"	570	460
DSD5510008904H	55	2-11/64"	1000	890

※Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials

※40Cr YG8c sandblasted finished 4 cutter single Flute SDS MAX Drill Bit for concrete.



SDS Max Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSD628017044H	6	15/64"	280	170
DSD826015044H	8	5/16"	260	150
DSD828017044H	8	5/16"	280	170
DSD1028017044H	10	25/64"	280	170
DSD1031020044H	10	25/64"	310	200
DSD1035024044H	10	25/64"	350	240
DSD1040029044H	10	25/64"	400	290
DSD1046035044H	10	25/64"	460	350
DSD1050539544H	10	25/64"	505	395
DSD1225014044H	12	15/32"	250	140
DSD1228017044H	12	15/32"	280	170
DSD1230019044H	12	15/32"	300	190
DSD1234023044H	12	15/32"	340	230
DSD1235024044H	12	15/32"	350	240
DSD1240029044H	12	15/32"	400	290
DSD1250539544H	12	15/32"	505	395
DSD1254043044H	12	15/32"	540	430
DSD1260049044H	12	15/32"	600	490
DSD1270059044H	12	15/32"	700	590
DSD1280069044H	12	15/32"	800	690
DSD12100089044H	12	15/32"	1000	890
DSD1425014044H	14	35/64"	250	140
DSD1428017044H	14	35/64"	280	170
DSD1430019044H	14	35/64"	300	190
DSD1434023044H	14	35/64"	340	230
DSD1435024044H	14	35/64"	350	240
DSD1439028044H	14	35/64"	390	280
DSD1440029044H	14	35/64"	400	290
DSD1450539544H	14	35/64"	505	395
DSD1454043044H	14	35/64"	540	430
DSD1460049044H	14	35/64"	600	490
DSD1470059044H	14	35/64"	700	590
DSD1480069044H	14	35/64"	800	690
DSD14100089044H	14	35/64"	1000	890
DSD1625014044H	16	5/8"	250	140
DSD1628017044H	16	5/8"	280	170
DSD1630019044H	16	5/8"	300	190
DSD1634023044H	16	5/8"	340	230
DSD1635024044H	16	5/8"	350	240
DSD1639028044H	16	5/8"	390	280
DSD1640029044H	16	5/8"	400	290
DSD1650039044H	16	5/8"	500	390
DSD1652041044H	16	5/8"	520	410
DSD1654043044H	16	5/8"	540	430
DSD1660049044H	16	5/8"	600	490
DSD1667056044H	16	5/8"	670	560
DSD1670059044H	16	5/8"	700	590
DSD1680069044H	16	5/8"	800	690
DSD1692081044H	16	5/8"	920	810
DSD16100089044H	16	5/8"	1000	890
DSD1828017044H	18	45/64"	280	170
DSD1830019044H	18	45/64"	300	190
DSD1834023044H	18	45/64"	340	230
DSD1835024044H	18	45/64"	350	240
DSD1839028044H	18	45/64"	390	280

※Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials

※40Cr YG8c sandblasted finished 4 cutter Double Flute SDS MAX Drill Bit for concrete.



SDS Max Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSD1840029044H	18	45/64"	400	290
DSD1850039044H	18	45/64"	500	390
DSD1854043044H	18	45/64"	540	430
DSD1860049044H	18	45/64"	600	490
DSD1870059044H	18	45/64"	700	590
DSD1880069044H	18	45/64"	800	690
DSD18100089044H	18	45/64"	1000	890
DSD2025014044H	20	13/16"	250	140
DSD2028017044H	20	13/16"	280	170
DSD2030019044H	20	13/16"	300	190
DSD2032021044H	20	13/16"	320	210
DSD2035024044H	20	13/16"	350	240
DSD2037026044H	20	13/16"	370	260
DSD2040029044H	20	13/16"	400	290
DSD2045034044H	20	13/16"	450	340
DSD2050039044H	20	13/16"	500	390
DSD2052041044H	20	13/16"	520	410
DSD2060049044H	20	13/16"	600	490
DSD2070059044H	20	13/16"	700	590
DSD2080069044H	20	13/16"	800	690
DSD20100089044H	20	13/16"	1000	890
DSD2228017044H	22	55/64"	280	170
DSD2230019044H	22	55/64"	300	190
DSD2232021044H	22	55/64"	320	210
DSD2235024044H	22	55/64"	350	240
DSD2240029044H	22	55/64"	400	290
DSD2250039044H	22	55/64"	500	390
DSD2252041044H	22	55/64"	520	410
DSD2260049044H	22	55/64"	600	490
DSD2270059044H	22	55/64"	700	590
DSD2280069044H	22	55/64"	800	690
DSD22100089044H	22	55/64"	1000	890
DSD2426015044H	24	61/64"	260	150
DSD2430019044H	24	61/64"	300	190
DSD2431020044H	24	61/64"	310	200
DSD2432021044H	24	61/64"	320	210
DSD2435024044H	24	61/64"	350	240
DSD2440029044H	24	61/64"	400	290
DSD2450539544H	24	61/64"	505	395
DSD2452041044H	24	61/64"	520	410
DSD2454043044H	24	61/64"	540	430
DSD2460049044H	24	61/64"	600	490
DSD2480069044H	24	61/64"	800	690
DSD24100089044H	24	61/64"	1000	890
DSD241200109044H	24	61/64"	1200	1090
DSD2528017044H	25	63/64"	280	170
DSD2530019044H	25	63/64"	300	190
DSD2532021044H	25	63/64"	320	210
DSD2535024044H	25	63/64"	350	240
DSD2540029044H	25	63/64"	400	290
DSD2545034044H	25	63/64"	450	340
DSD2550039044H	25	63/64"	500	390
DSD2552041044H	25	63/64"	520	410
DSD2560049044H	25	63/64"	600	490
DSD2570059044H	25	63/64"	700	590

※Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials

※40Cr YG8c sandblasted finished 4 cutter Double Flute SDS MAX Drill Bit for concrete.



SDS Max Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSD2580069044H	25	63/64"	800	690
DSD2592081044H	25	63/64"	920	810
DSD25100089044H	25	63/64"	1000	890
DSD2637026044H	26	1-1/32"	370	260
DSD2652041044H	26	1-1/32"	520	410
DSD2660049044H	26	1-1/32"	600	490
DSD2680069044H	26	1-1/32"	800	690
DSD2828017044H	28	1-7/64"	280	170
DSD2830019044H	28	1-7/64"	300	190
DSD2832021044H	28	1-7/64"	320	210
DSD2835024044H	28	1-7/64"	350	240
DSD2837026044H	28	1-7/64"	370	260
DSD2840029044H	28	1-7/64"	400	290
DSD2850039044H	28	1-7/64"	500	390
DSD2857046044H	28	1-7/64"	570	460
DSD2860049044H	28	1-7/64"	600	490
DSD2870059044H	28	1-7/64"	700	590
DSD2880069044H	28	1-7/64"	800	690
DSD28100089044H	28	1-7/64"	1000	890
DSD3028017044H	30	1-3/16"	280	170
DSD3030019044H	30	1-3/16"	300	190
DSD3035024044H	30	1-3/16"	350	240
DSD3037026044H	30	1-3/16"	370	260
DSD3040029044H	30	1-3/16"	400	290
DSD3045034044H	30	1-3/16"	450	340
DSD3050039044H	30	1-3/16"	500	390
DSD3057046044H	30	1-3/16"	570	460
DSD3060049044H	30	1-3/16"	600	490
DSD3070059044H	30	1-3/16"	700	590
DSD3080069044H	30	1-3/16"	800	690
DSD30100089044H	30	1-3/16"	1000	890
DSD3228017044H	32	1-17/64"	280	170
DSD3235024044H	32	1-17/64"	350	240
DSD3237026044H	32	1-17/64"	370	260
DSD3240029044H	32	1-17/64"	400	290
DSD3250039044H	32	1-17/64"	500	390
DSD3252041044H	32	1-17/64"	520	410
DSD3257046044H	32	1-17/64"	570	460
DSD3260049044H	32	1-17/64"	600	490
DSD3270059044H	32	1-17/64"	700	590
DSD3280069044H	32	1-17/64"	800	690
DSD3292081044H	32	1-17/64"	920	810
DSD32100089044H	32	1-17/64"	1000	890
DSD321320121044H	32	1-17/64"	1320	1210
DSD3528017044H	35	1-3/8"	280	170
DSD3534023044H	35	1-3/8"	340	230
DSD3535024044H	35	1-3/8"	350	240
DSD3537026044H	35	1-3/8"	370	260
DSD3540029044H	35	1-3/8"	400	290
DSD3550039044H	35	1-3/8"	500	390
DSD3554043044H	35	1-3/8"	540	430
DSD3557046044H	35	1-3/8"	570	460
DSD3560049044H	35	1-3/8"	600	490
DSD3570059044H	35	1-3/8"	700	590
DSD3580069044H	35	1-3/8"	800	690

※Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials

※40Cr YG8c sandblasted finished 4 cutter Double Flute SDS MAX Drill Bit for concrete.



SDS Max Hammer Bit

Item No.	Size (mm)	Size (inch)	OAL length (mm)	Flute Length (mm)
DSD35100089044H	35	1-3/8"	1000	890
DSD3834023044H	38	1-1/2"	340	230
DSD3835024044H	38	1-1/2"	350	240
DSD3837026044H	38	1-1/2"	370	260
DSD3840029044H	38	1-1/2"	400	290
DSD3850039044H	38	1-1/2"	500	390
DSD3854043044H	38	1-1/2"	540	430
DSD3857046044H	38	1-1/2"	570	460
DSD3860049044H	38	1-1/2"	600	490
DSD3870059044H	38	1-1/2"	700	590
DSD3880069044H	38	1-1/2"	800	690
DSD38100089044H	38	1-1/2"	1000	890
DSD4034023044H	40	1-37/64"	340	230
DSD4035024044H	40	1-37/64"	350	240
DSD4037026044H	40	1-37/64"	370	260
DSD4040029044H	40	1-37/64"	400	290
DSD4050039044H	40	1-37/64"	500	390
DSD4054043044H	40	1-37/64"	540	430
DSD4057046044H	40	1-37/64"	570	460
DSD4060049044H	40	1-37/64"	600	490
DSD4070059044H	40	1-37/64"	700	590
DSD4080069044H	40	1-37/64"	800	690
DSD40100089044H	40	1-37/64"	1000	890
DSD401320121044H	40	1-37/64"	1320	1210
DSD4260049044H	42	1-21/32"	600	490
DSD4280069044H	42	1-21/32"	800	690
DSD4550039044H	45	1-25/32"	500	390
DSD4557046044H	45	1-25/32"	570	460
DSD4592081044H	45	1-25/32"	920	810
DSD45100089044H	45	1-25/32"	1000	890
DSD5057046044H	50	2"	570	460
DSD5257046044H	52	2-1/16"	570	460
DSD55100089044H	55	2-11/64"	1000	890

※Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials

※40Cr YG8c sandblasted finished 4 cutter Double Flute SDS MAX Drill Bit for concrete.



SDS Max Chisel

Item No.	Size (mm)	Ancho (mm)	OAL length (mm)	OAL length (inch)
DSD18280P	18	Point	280	11-39/64"
DSD18300P	18	Point	300	11-13/16"
DSD18400P	18	Point	400	15-3/4"
DSD18480P	18	Point	480	18-29/32"
DSD18500P	18	Point	500	19-11/16"
DSD18600P	18	Point	600	23-5/8"

*Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials
*40Cr sandblasted finished SDS-max Hammer Point Chisel



Item No.	Size (mm)	Ancho (mm)	OAL length (mm)	OAL length (inch)
DSD1825280	18	25	280	11-39/64"
DSD1825400	18	25	400	15-3/4"
DSD1825480	18	25	480	18-29/32"
DSD1825600	18	25	600	23-5/8"

*Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials
40Cr sandblasted finished SDS-max Hammer Flat Chisel



Item No.	Size (mm)	Ancho (mm)	Ancho (inch)	OAL length (mm)
DSD1850300	18	50	1-31/32"	300
DSD1850400	18	50	1-31/32"	400
DSD1850600	18	50	1-31/32"	600
DSD1880300	18	80	3-5/32"	300
DSD1880350	18	80	3-5/32"	350
DSD18115300	18	115	4-17/32"	300
DSD18115350	18	115	4-17/32"	350
DSD18130300	18	130	5-1/8"	300
DSD18130350	18	130	5-1/8"	350

*Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials
40Cr sandblasted finished SDS-max Hammer Wide Flat Chisel.



Item No.	Size (mm)	Ancho (mm)	Ancho (inch)	OAL length (mm)
DSD1850300	18	50	1-31/32"	300
DSD1850350	18	50	1-31/32"	350
DSD1880300	18	80	3-5/32"	300
DSD1880350	18	80	3-5/32"	350

*Fits all rotary hammers with SDS-MAX chucks.
*40CR Removing Chisel Tile Wall Floor Plaster Lifter.



SDS Max Chisel

Item No.	Size (mm)	Ancho (mm)	OAL length (mm)	OAL length (inch)
DSD1835280G	18	35	280	11-39/64"
DSD1835380G	18	35	380	14-31/32"

※Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials
40Cr sandblasted finished SDS-max Hammer Groove Chisel.



Item No.	Size (mm)	Ancho (mm)	OAL length (mm)	OAL length (inch)
DSD1832300T	18	32	300	11-13/16"
DSD1832350T	18	32	350	13-25/32"

※Fits all rotary hammers with SDS-MAX chucks, for fast cutting in concrete,brick,stone and other masonry materials
40Cr sandblasted finished SDS-max Hammer Toothed Chisel.

