

| Item No.      | Size<br>(mm) | OAL length<br>(mm) | Flute Length<br>(mm) |
|---------------|--------------|--------------------|----------------------|
| DTDCM200050B1 | 0.5          | 32                 | 13                   |
| DTDCM200060B1 | 0.6          | 37                 | 17                   |
| DTDCM200070B1 | 0.7          | 42                 | 21                   |
| DTDCM200080B1 | 0.8          | 47                 | 23                   |
| DTDCM200090B1 | 0.9          | 51                 | 25                   |
| DTDCM200100B1 | 1            | 56                 | 33                   |
| DTDCM200110B1 | 1.1          | 56                 | 33                   |
| DTDCM200120B1 | 1.2          | 60                 | 37                   |
| DTDCM200125B1 | 1.25         | 65                 | 41                   |
| DTDCM200130B1 | 1.3          | 65                 | 41                   |
| DTDCM200140B1 | 1.4          | 70                 | 45                   |
| DTDCM200150B1 | 1.5          | 70                 | 45                   |
| DTDCM200160B1 | 1.6          | 76                 | 50                   |
| DTDCM200170B1 | 1.7          | 76                 | 50                   |
| DTDCM200175B1 | 1.75         | 80                 | 53                   |
| DTDCM200180B1 | 1.8          | 80                 | 53                   |
| DTDCM200190B1 | 1.9          | 80                 | 53                   |
| DTDCM200200B1 | 2            | 85                 | 56                   |
| DTDCM200210B1 | 2.1          | 85                 | 56                   |
| DTDCM200220B1 | 2.2          | 90                 | 59                   |
| DTDCM200225B1 | 2.25         | 90                 | 59                   |
| DTDCM200230B1 | 2.3          | 90                 | 59                   |
| DTDCM200240B1 | 2.4          | 95                 | 62                   |
| DTDCM200250B1 | 2.5          | 95                 | 62                   |
| DTDCM200260B1 | 2.6          | 95                 | 62                   |
| DTDCM200270B1 | 2.7          | 100                | 66                   |
| DTDCM200275B1 | 2.75         | 100                | 66                   |
| DTDCM200280B1 | 2.8          | 100                | 66                   |
| DTDCM200290B1 | 2.9          | 100                | 66                   |
| DTDCM200300B1 | 3            | 100                | 66                   |
| DTDCM200310B1 | 3.1          | 106                | 69                   |
| DTDCM200320B1 | 3.2          | 106                | 69                   |
| DTDCM200325B1 | 3.25         | 106                | 69                   |
| DTDCM200330B1 | 3.3          | 106                | 69                   |
| DTDCM200340B1 | 3.4          | 112                | 73                   |
| DTDCM200350B1 | 3.5          | 112                | 73                   |
| DTDCM200360B1 | 3.6          | 112                | 73                   |
| DTDCM200370B1 | 3.7          | 112                | 73                   |
| DTDCM200375B1 | 3.75         | 112                | 73                   |
| DTDCM200380B1 | 3.8          | 119                | 78                   |
| DTDCM200390B1 | 3.9          | 119                | 78                   |
| DTDCM200400B1 | 4            | 119                | 78                   |
| DTDCM200410B1 | 4.1          | 119                | 78                   |
| DTDCM200420B1 | 4.2          | 119                | 78                   |
| DTDCM200425B1 | 4.25         | 119                | 78                   |
| DTDCM200430B1 | 4.3          | 126                | 82                   |
| DTDCM200440B1 | 4.4          | 126                | 82                   |
| DTDCM200450B1 | 4.5          | 126                | 82                   |
| DTDCM200460B1 | 4.6          | 126                | 82                   |
| DTDCM200470B1 | 4.7          | 126                | 82                   |
| DTDCM200475B1 | 4.75         | 126                | 82                   |
| DTDCM200480B1 | 4.8          | 132                | 87                   |
| DTDCM200490B1 | 4.9          | 132                | 87                   |
| DTDCM200500B1 | 5            | 132                | 87                   |
| DTDCM200510B1 | 5.1          | 132                | 87                   |
| DTDCM200520B1 | 5.2          | 132                | 87                   |
| DTDCM200525B1 | 5.25         | 132                | 87                   |
| DTDCM200530B1 | 5.3          | 132                | 87                   |
| DTDCM200540B1 | 5.4          | 139                | 91                   |
| DTDCM200550B1 | 5.5          | 139                | 91                   |
| DTDCM200560B1 | 5.6          | 139                | 91                   |
| DTDCM200570B1 | 5.7          | 139                | 91                   |
| DTDCM200575B1 | 5.75         | 139                | 91                   |
| DTDCM200580B1 | 5.8          | 139                | 91                   |
| DTDCM200590B1 | 5.9          | 139                | 91                   |
| DTDCM200600B1 | 6            | 139                | 91                   |
| DTDCM200610B1 | 6.1          | 148                | 97                   |

**DIN340 Straight Shank Twist Drill**

※DIN340 HSS long series drill bits, fully ground, straight shank, split point, bright finish.

※For drilling deeper holes in metal, steel and cast-steel.



| Item No.      | Size<br>(mm) | OAL length<br>(mm) | Flute Length<br>(mm) |
|---------------|--------------|--------------------|----------------------|
| DTDCM200620B1 | 6.2          | 148                | 97                   |
| DTDCM200625B1 | 6.25         | 148                | 97                   |
| DTDCM200630B1 | 6.3          | 148                | 97                   |
| DTDCM200640B1 | 6.4          | 148                | 97                   |
| DTDCM200650B1 | 6.5          | 148                | 97                   |
| DTDCM200660B1 | 6.6          | 148                | 97                   |
| DTDCM200670B1 | 6.7          | 148                | 97                   |
| DTDCM200675B1 | 6.75         | 156                | 102                  |
| DTDCM200680B1 | 6.8          | 156                | 102                  |
| DTDCM200690B1 | 6.9          | 156                | 102                  |
| DTDCM200700B1 | 7            | 156                | 102                  |
| DTDCM200710B1 | 7.1          | 156                | 102                  |
| DTDCM200720B1 | 7.2          | 156                | 102                  |
| DTDCM200725B1 | 7.25         | 156                | 102                  |
| DTDCM200730B1 | 7.3          | 156                | 102                  |
| DTDCM200740B1 | 7.4          | 156                | 102                  |
| DTDCM200750B1 | 7.5          | 156                | 102                  |
| DTDCM200760B1 | 7.6          | 165                | 109                  |
| DTDCM200770B1 | 7.7          | 165                | 109                  |
| DTDCM200775B1 | 7.75         | 165                | 109                  |
| DTDCM200780B1 | 7.8          | 165                | 109                  |
| DTDCM200790B1 | 7.9          | 165                | 109                  |
| DTDCM200800B1 | 8            | 165                | 109                  |
| DTDCM200810B1 | 8.1          | 165                | 109                  |
| DTDCM200820B1 | 8.2          | 165                | 109                  |
| DTDCM200825B1 | 8.25         | 165                | 109                  |
| DTDCM200830B1 | 8.3          | 165                | 109                  |
| DTDCM200840B1 | 8.4          | 165                | 109                  |
| DTDCM200850B1 | 8.5          | 165                | 109                  |
| DTDCM200860B1 | 8.6          | 175                | 115                  |
| DTDCM200870B1 | 8.7          | 175                | 115                  |
| DTDCM200875B1 | 8.75         | 175                | 115                  |
| DTDCM200880B1 | 8.8          | 175                | 115                  |
| DTDCM200890B1 | 8.9          | 175                | 115                  |
| DTDCM200900B1 | 9            | 175                | 115                  |
| DTDCM200910B1 | 9.1          | 175                | 115                  |
| DTDCM200920B1 | 9.2          | 175                | 115                  |
| DTDCM200925B1 | 9.25         | 175                | 115                  |
| DTDCM200930B1 | 9.3          | 175                | 115                  |
| DTDCM200940B1 | 9.4          | 175                | 115                  |
| DTDCM200950B1 | 9.5          | 175                | 115                  |
| DTDCM200960B1 | 9.6          | 184                | 121                  |
| DTDCM200970B1 | 9.7          | 184                | 121                  |
| DTDCM200975B1 | 9.75         | 184                | 121                  |
| DTDCM200980B1 | 9.8          | 184                | 121                  |
| DTDCM200990B1 | 9.9          | 184                | 121                  |
| DTDCM201000B1 | 10           | 184                | 121                  |
| DTDCM201010B1 | 10.1         | 184                | 121                  |
| DTDCM201020B1 | 10.2         | 184                | 121                  |
| DTDCM201025B1 | 10.25        | 184                | 121                  |
| DTDCM201030B1 | 10.3         | 184                | 121                  |
| DTDCM201040B1 | 10.4         | 184                | 121                  |
| DTDCM201050B1 | 10.5         | 184                | 121                  |
| DTDCM201060B1 | 10.6         | 195                | 128                  |
| DTDCM201070B1 | 10.7         | 195                | 128                  |
| DTDCM201075B1 | 10.75        | 195                | 128                  |
| DTDCM201080B1 | 10.8         | 195                | 128                  |
| DTDCM201090B1 | 10.9         | 195                | 128                  |
| DTDCM201100B1 | 11           | 195                | 128                  |
| DTDCM201110B1 | 11.1         | 195                | 128                  |
| DTDCM201120B1 | 11.2         | 195                | 128                  |
| DTDCM201125B1 | 11.25        | 195                | 128                  |
| DTDCM201130B1 | 11.3         | 195                | 128                  |
| DTDCM201140B1 | 11.4         | 195                | 128                  |
| DTDCM201150B1 | 11.5         | 195                | 128                  |
| DTDCM201160B1 | 11.6         | 195                | 128                  |
| DTDCM201170B1 | 11.7         | 195                | 128                  |

**DIN340 Straight Shank Twist Drill**

※DIN340 HSS long series drill bits, fully ground, straight shank, split point, bright finish.

※For drilling deeper holes in metal, steel and cast-steel.



| Item No.      | Size<br>(mm) | OAL length<br>(mm) | Flute Length<br>(mm) |
|---------------|--------------|--------------------|----------------------|
| DTDCM201175B1 | 11.75        | 195                | 128                  |
| DTDCM201180B1 | 11.8         | 195                | 128                  |
| DTDCM201190B1 | 11.9         | 195                | 128                  |
| DTDCM201200B1 | 12           | 205                | 134                  |
| DTDCM201210B1 | 12.1         | 205                | 134                  |
| DTDCM201220B1 | 12.2         | 205                | 134                  |
| DTDCM201225B1 | 12.25        | 205                | 134                  |
| DTDCM201230B1 | 12.3         | 205                | 134                  |
| DTDCM201240B1 | 12.4         | 205                | 134                  |
| DTDCM201250B1 | 12.5         | 205                | 134                  |
| DTDCM201260B1 | 12.6         | 205                | 134                  |
| DTDCM201270B1 | 12.7         | 205                | 134                  |
| DTDCM201275B1 | 12.75        | 205                | 134                  |
| DTDCM201280B1 | 12.8         | 205                | 134                  |
| DTDCM201290B1 | 12.9         | 205                | 134                  |
| DTDCM201300B1 | 13           | 205                | 134                  |
| DTDCM201325B1 | 13.25        | 214                | 140                  |
| DTDCM201350B1 | 13.5         | 214                | 140                  |
| DTDCM201375B1 | 13.75        | 214                | 140                  |
| DTDCM201400B1 | 14           | 214                | 140                  |
| DTDCM201425B1 | 14.25        | 220                | 144                  |
| DTDCM201450B1 | 14.5         | 220                | 144                  |
| DTDCM201475B1 | 14.75        | 220                | 144                  |
| DTDCM201500B1 | 15           | 220                | 144                  |
| DTDCM201525B1 | 15.25        | 227                | 149                  |
| DTDCM201550B1 | 15.5         | 227                | 149                  |
| DTDCM201575B1 | 15.75        | 227                | 149                  |
| DTDCM201600B1 | 16           | 227                | 149                  |
| DTDCM201625B1 | 16.25        | 235                | 154                  |
| DTDCM201650B1 | 16.5         | 235                | 154                  |
| DTDCM201675B1 | 16.75        | 235                | 154                  |
| DTDCM201700B1 | 17           | 235                | 154                  |
| DTDCM201725B1 | 17.25        | 241                | 158                  |
| DTDCM201750B1 | 17.5         | 241                | 158                  |
| DTDCM201775B1 | 17.75        | 241                | 158                  |
| DTDCM201800B1 | 18           | 241                | 158                  |
| DTDCM201825B1 | 18.25        | 247                | 162                  |
| DTDCM201850B1 | 18.5         | 247                | 162                  |
| DTDCM201875B1 | 18.75        | 247                | 162                  |
| DTDCM201900B1 | 19           | 247                | 162                  |
| DTDCM201925B1 | 19.25        | 254                | 166                  |
| DTDCM201950B1 | 19.5         | 254                | 166                  |
| DTDCM201975B1 | 19.75        | 254                | 166                  |
| DTDCM202000B1 | 20           | 254                | 166                  |

**DIN340 Straight Shank Twist Drill**

※DIN340 HSS long series drill bits, fully ground, straight shank, split point, bright finish.

※For drilling deeper holes in metal, steel and cast-steel.



| Item No.        | Size<br>(mm) | OAL length<br>(mm) | Flute Length<br>(mm) |
|-----------------|--------------|--------------------|----------------------|
| DTDCM3500050D1A | 0.5          | 32                 | 13                   |
| DTDCM3500060D1A | 0.6          | 37                 | 17                   |
| DTDCM3500070D1A | 0.7          | 42                 | 21                   |
| DTDCM3500080D1A | 0.8          | 47                 | 23                   |
| DTDCM3500090D1A | 0.9          | 51                 | 25                   |
| DTDCM3500100D1A | 1            | 56                 | 33                   |
| DTDCM3500110D1A | 1.1          | 56                 | 33                   |
| DTDCM3500120D1A | 1.2          | 60                 | 37                   |
| DTDCM3500125D1A | 1.25         | 65                 | 41                   |
| DTDCM3500130D1A | 1.3          | 65                 | 41                   |
| DTDCM3500140D1A | 1.4          | 70                 | 45                   |
| DTDCM3500150D1A | 1.5          | 70                 | 45                   |
| DTDCM3500160D1A | 1.6          | 76                 | 50                   |
| DTDCM3500170D1A | 1.7          | 76                 | 50                   |
| DTDCM3500175D1A | 1.75         | 80                 | 53                   |
| DTDCM3500180D1A | 1.8          | 80                 | 53                   |
| DTDCM3500190D1A | 1.9          | 80                 | 53                   |
| DTDCM3500200D1A | 2            | 85                 | 56                   |
| DTDCM3500210D1A | 2.1          | 85                 | 56                   |
| DTDCM3500220D1A | 2.2          | 90                 | 59                   |
| DTDCM3500225D1A | 2.25         | 90                 | 59                   |
| DTDCM3500230D1A | 2.3          | 90                 | 59                   |
| DTDCM3500240D1A | 2.4          | 95                 | 62                   |
| DTDCM3500250D1A | 2.5          | 95                 | 62                   |
| DTDCM3500260D1A | 2.6          | 95                 | 62                   |
| DTDCM3500270D1A | 2.7          | 100                | 66                   |
| DTDCM3500275D1A | 2.75         | 100                | 66                   |
| DTDCM3500280D1A | 2.8          | 100                | 66                   |
| DTDCM3500290D1A | 2.9          | 100                | 66                   |
| DTDCM3500300D1A | 3            | 100                | 66                   |
| DTDCM3500310D1A | 3.1          | 106                | 69                   |
| DTDCM3500320D1A | 3.2          | 106                | 69                   |
| DTDCM3500325D1A | 3.25         | 106                | 69                   |
| DTDCM3500330D1A | 3.3          | 106                | 69                   |
| DTDCM3500340D1A | 3.4          | 112                | 73                   |
| DTDCM3500350D1A | 3.5          | 112                | 73                   |
| DTDCM3500360D1A | 3.6          | 112                | 73                   |
| DTDCM3500370D1A | 3.7          | 112                | 73                   |
| DTDCM3500375D1A | 3.75         | 112                | 73                   |
| DTDCM3500380D1A | 3.8          | 119                | 78                   |
| DTDCM3500390D1A | 3.9          | 119                | 78                   |
| DTDCM3500400D1A | 4            | 119                | 78                   |
| DTDCM3500410D1A | 4.1          | 119                | 78                   |
| DTDCM3500420D1A | 4.2          | 119                | 78                   |
| DTDCM3500425D1A | 4.25         | 119                | 78                   |
| DTDCM3500430D1A | 4.3          | 126                | 82                   |
| DTDCM3500440D1A | 4.4          | 126                | 82                   |
| DTDCM3500450D1A | 4.5          | 126                | 82                   |
| DTDCM3500460D1A | 4.6          | 126                | 82                   |
| DTDCM3500470D1A | 4.7          | 126                | 82                   |
| DTDCM3500475D1A | 4.75         | 126                | 82                   |
| DTDCM3500480D1A | 4.8          | 132                | 87                   |
| DTDCM3500490D1A | 4.9          | 132                | 87                   |
| DTDCM3500500D1A | 5            | 132                | 87                   |
| DTDCM3500510D1A | 5.1          | 132                | 87                   |
| DTDCM3500520D1A | 5.2          | 132                | 87                   |
| DTDCM3500525D1A | 5.25         | 132                | 87                   |
| DTDCM3500530D1A | 5.3          | 132                | 87                   |
| DTDCM3500540D1A | 5.4          | 139                | 91                   |
| DTDCM3500550D1A | 5.5          | 139                | 91                   |
| DTDCM3500560D1A | 5.6          | 139                | 91                   |
| DTDCM3500570D1A | 5.7          | 139                | 91                   |
| DTDCM3500575D1A | 5.75         | 139                | 91                   |
| DTDCM3500580D1A | 5.8          | 139                | 91                   |
| DTDCM3500590D1A | 5.9          | 139                | 91                   |
| DTDCM3500600D1A | 6            | 139                | 91                   |
| DTDCM3500610D1A | 6.1          | 148                | 97                   |

**DIN340 Straight Shank Twist Drill**

※DIN340 HSS Co long series drill bits, fully ground, straight shank, split point, amber finish.

※High quality HSSCo-drills with outstanding high temperature-resistance.



| Item No.      | Size<br>(mm) | OAL length<br>(mm) | Flute Length<br>(mm) |
|---------------|--------------|--------------------|----------------------|
| DTDCM200620B1 | 6.2          | 148                | 97                   |
| DTDCM200625B1 | 6.25         | 148                | 97                   |
| DTDCM200630B1 | 6.3          | 148                | 97                   |
| DTDCM200640B1 | 6.4          | 148                | 97                   |
| DTDCM200650B1 | 6.5          | 148                | 97                   |
| DTDCM200660B1 | 6.6          | 148                | 97                   |
| DTDCM200670B1 | 6.7          | 148                | 97                   |
| DTDCM200675B1 | 6.75         | 156                | 102                  |
| DTDCM200680B1 | 6.8          | 156                | 102                  |
| DTDCM200690B1 | 6.9          | 156                | 102                  |
| DTDCM200700B1 | 7            | 156                | 102                  |
| DTDCM200710B1 | 7.1          | 156                | 102                  |
| DTDCM200720B1 | 7.2          | 156                | 102                  |
| DTDCM200725B1 | 7.25         | 156                | 102                  |
| DTDCM200730B1 | 7.3          | 156                | 102                  |
| DTDCM200740B1 | 7.4          | 156                | 102                  |
| DTDCM200750B1 | 7.5          | 156                | 102                  |
| DTDCM200760B1 | 7.6          | 165                | 109                  |
| DTDCM200770B1 | 7.7          | 165                | 109                  |
| DTDCM200775B1 | 7.75         | 165                | 109                  |
| DTDCM200780B1 | 7.8          | 165                | 109                  |
| DTDCM200790B1 | 7.9          | 165                | 109                  |
| DTDCM200800B1 | 8            | 165                | 109                  |
| DTDCM200810B1 | 8.1          | 165                | 109                  |
| DTDCM200820B1 | 8.2          | 165                | 109                  |
| DTDCM200825B1 | 8.25         | 165                | 109                  |
| DTDCM200830B1 | 8.3          | 165                | 109                  |
| DTDCM200840B1 | 8.4          | 165                | 109                  |
| DTDCM200850B1 | 8.5          | 165                | 109                  |
| DTDCM200860B1 | 8.6          | 175                | 115                  |
| DTDCM200870B1 | 8.7          | 175                | 115                  |
| DTDCM200875B1 | 8.75         | 175                | 115                  |
| DTDCM200880B1 | 8.8          | 175                | 115                  |
| DTDCM200890B1 | 8.9          | 175                | 115                  |
| DTDCM200900B1 | 9            | 175                | 115                  |
| DTDCM200910B1 | 9.1          | 175                | 115                  |
| DTDCM200920B1 | 9.2          | 175                | 115                  |
| DTDCM200925B1 | 9.25         | 175                | 115                  |
| DTDCM200930B1 | 9.3          | 175                | 115                  |
| DTDCM200940B1 | 9.4          | 175                | 115                  |
| DTDCM200950B1 | 9.5          | 175                | 115                  |
| DTDCM200960B1 | 9.6          | 184                | 121                  |
| DTDCM200970B1 | 9.7          | 184                | 121                  |
| DTDCM200975B1 | 9.75         | 184                | 121                  |
| DTDCM200980B1 | 9.8          | 184                | 121                  |
| DTDCM200990B1 | 9.9          | 184                | 121                  |
| DTDCM201000B1 | 10           | 184                | 121                  |
| DTDCM201010B1 | 10.1         | 184                | 121                  |
| DTDCM201020B1 | 10.2         | 184                | 121                  |
| DTDCM201025B1 | 10.25        | 184                | 121                  |
| DTDCM201030B1 | 10.3         | 184                | 121                  |
| DTDCM201040B1 | 10.4         | 184                | 121                  |
| DTDCM201050B1 | 10.5         | 184                | 121                  |
| DTDCM201060B1 | 10.6         | 195                | 128                  |
| DTDCM201070B1 | 10.7         | 195                | 128                  |
| DTDCM201075B1 | 10.75        | 195                | 128                  |
| DTDCM201080B1 | 10.8         | 195                | 128                  |
| DTDCM201090B1 | 10.9         | 195                | 128                  |
| DTDCM201100B1 | 11           | 195                | 128                  |
| DTDCM201110B1 | 11.1         | 195                | 128                  |
| DTDCM201120B1 | 11.2         | 195                | 128                  |
| DTDCM201125B1 | 11.25        | 195                | 128                  |
| DTDCM201130B1 | 11.3         | 195                | 128                  |
| DTDCM201140B1 | 11.4         | 195                | 128                  |
| DTDCM201150B1 | 11.5         | 195                | 128                  |
| DTDCM201160B1 | 11.6         | 195                | 128                  |
| DTDCM201170B1 | 11.7         | 195                | 128                  |

**DIN340 Straight Shank Twist Drill**

※DIN340 HSS Co long series drill bits, fully ground, straight shank, split point, amber finish.

※High quality HSSCo-drills with outstanding high temperature-resistance.



| Item No.      | Size<br>(mm) | OAL length<br>(mm) | Flute Length<br>(mm) |
|---------------|--------------|--------------------|----------------------|
| DTDCM201175B1 | 11.75        | 195                | 128                  |
| DTDCM201180B1 | 11.8         | 195                | 128                  |
| DTDCM201190B1 | 11.9         | 195                | 128                  |
| DTDCM201200B1 | 12           | 205                | 134                  |
| DTDCM201210B1 | 12.1         | 205                | 134                  |
| DTDCM201220B1 | 12.2         | 205                | 134                  |
| DTDCM201225B1 | 12.25        | 205                | 134                  |
| DTDCM201230B1 | 12.3         | 205                | 134                  |
| DTDCM201240B1 | 12.4         | 205                | 134                  |
| DTDCM201250B1 | 12.5         | 205                | 134                  |
| DTDCM201260B1 | 12.6         | 205                | 134                  |
| DTDCM201270B1 | 12.7         | 205                | 134                  |
| DTDCM201275B1 | 12.75        | 205                | 134                  |
| DTDCM201280B1 | 12.8         | 205                | 134                  |
| DTDCM201290B1 | 12.9         | 205                | 134                  |
| DTDCM201300B1 | 13           | 205                | 134                  |
| DTDCM201325B1 | 13.25        | 214                | 140                  |
| DTDCM201350B1 | 13.5         | 214                | 140                  |
| DTDCM201375B1 | 13.75        | 214                | 140                  |
| DTDCM201400B1 | 14           | 214                | 140                  |
| DTDCM201425B1 | 14.25        | 220                | 144                  |
| DTDCM201450B1 | 14.5         | 220                | 144                  |
| DTDCM201475B1 | 14.75        | 220                | 144                  |
| DTDCM201500B1 | 15           | 220                | 144                  |
| DTDCM201525B1 | 15.25        | 227                | 149                  |
| DTDCM201550B1 | 15.5         | 227                | 149                  |
| DTDCM201575B1 | 15.75        | 227                | 149                  |
| DTDCM201600B1 | 16           | 227                | 149                  |
| DTDCM201625B1 | 16.25        | 235                | 154                  |
| DTDCM201650B1 | 16.5         | 235                | 154                  |
| DTDCM201675B1 | 16.75        | 235                | 154                  |
| DTDCM201700B1 | 17           | 235                | 154                  |
| DTDCM201725B1 | 17.25        | 241                | 158                  |
| DTDCM201750B1 | 17.5         | 241                | 158                  |
| DTDCM201775B1 | 17.75        | 241                | 158                  |
| DTDCM201800B1 | 18           | 241                | 158                  |
| DTDCM201825B1 | 18.25        | 247                | 162                  |
| DTDCM201850B1 | 18.5         | 247                | 162                  |
| DTDCM201875B1 | 18.75        | 247                | 162                  |
| DTDCM201900B1 | 19           | 247                | 162                  |
| DTDCM201925B1 | 19.25        | 254                | 166                  |
| DTDCM201950B1 | 19.5         | 254                | 166                  |
| DTDCM201975B1 | 19.75        | 254                | 166                  |
| DTDCM202000B1 | 20           | 254                | 166                  |

**DIN340 Straight Shank Twist Drill**

※DIN340 HSS Co long series drill bits, fully ground, straight shank, split point, amber finish.

※High quality HSSCo-drills with outstanding high temperature-resistance.

