


Item No.	L (mm)	A (mm)	B (mm)	C (mm)
BPWICR5EC125G	125	14	21	7
BPWICR5EC160G	160	23	32	10
BPWICR5EC180G	180	26	36	12
BPWICR5EC200G	200	29	40	13




※High quality materials toughness High hardness shear Labor saving Anti-skid Wear-resistant
 ※Material:45#, 55#, CR-V.
 Surface treatment:Ecrú polishing,Black polishing,Bluing, Chrome FX, Black



Item No.	L (mm)	A (mm)	B (mm)	C (mm)
BPDICR5EC130G	130	18	16	8
BPDICR5EC160G	160	22	21	10
BPDICR5EC180G	180	24	26	11




※High quality materials toughness High hardness shear Labor saving Anti-skid
 ※Material:45#, 55#, CR-V.
 surface treatment: Ecrú polishing, Chrome FX, Black polishing, pearl




Item No.	L (mm)	A (mm)	B (mm)
BPENCR6NI150G	150	31	25
BPENCR6NI200G	200	37	25
BPENCR6NI300G	300	39	32



※High quality materials toughness High hardness shear Labor saving Anti-skid
 ※Material:45#, 55#, CR-V.
 Surface treatment:Black polishing, nickelizing, sand blast.



Item No.	L (mm)	A (mm)	B (mm)	C (mm)
BPLOCR5EC140G	140	17	38	9
BPLOCR5EC160G	160	16	49	9
BPLOCR5EC200G	200	18	76	10
BPLOCR5EC125G	125		25	
BPLOCR5EC140G	140		32	
BPLOCR5EC160G	160		40	
BPLOCR5EC125G	125		32	
BPLOCR5EC140G	140		40	
BPLOCR5EC160G	160		50	
BPLOCR5EC180G	180		63	
BPLOCR5EC200G	200		80	




※High quality materials toughness High hardness shear Labor saving Anti-skid
 ※Material:45#, 55#, CR-V.
 surface treatment:Ecrú polishing,Black polishing,bluing, Chrome FX, black

Item No.	L (mm)	A (mm)	B (mm)	C (mm)
BPANCR6EC160G	160	16	44	9
BPANCR6EC200G	200	18	76	10
BPANCR6EC160G	160	18	53	10
BPANCR6EC200G	200	21	60	11




※High quality materials toughness High hardness shear Labor saving Anti-skid
 ※Material:45#, 55#, ,CR-V.
 surface treatment:Ecru polishing,Black polishing,bluing, Chrome FX, black



Item No.	L (mm)	A (mm)	B (mm)	C (mm)
BPDRCR5EC160G	160	22	21	10
BPDRCR6EC180G	180	24	26	11




※High quality materials toughness High hardness shear Labor saving Anti-skid
 ※Material:45#, 55#, CR-V.
 surface treatment: Ecru polishing, Chrome FX, Black polishing, pearl



Item No.	L (mm)	φMin. (mm)	φMax. (mm)	φ (mm)
BPRECR6EC155SIG	155	12	25	1.7
BPRECR6EC180SIG	180	19	60	1.9
BPRECR6EC155SIG	155	40	100	2.3
BPRECR6EC180SIG	300	85	165	3.2




※High quality material toughness High hardness Anti-skid Wear-resistant
 ※Material:45#, 50#, CR-V.
 Surface treatment:Black coating, Nickelage, Chromeplate.



Item No.	L (mm)	A (mm)	C (mm)	○ (mm)
BPWACR8EC200G	200			32
BPWACR8EC250G	250	55	10	40
BPWACR8EC300G	300			49



※High quality material toughness High hardness Anti-skid Wear-resistant
 ※Material:45#, 50#, CR-V.
 Surface treatment:Pearl nickel,Ultra fine polishing,Black coating.




Item No.	L (mm)	A (mm)	B (mm)	○ (mm)
BPSLCR5EC125G	125	40	23	9
BPSLCR5EC150G	150	43	28	10
BPSLCR5EC165G	165	45	32	11
BPSLCR5EC200G	200	47	34	12
BPSLCR5EC250G	250	58	39	13



※High quality material toughness High hardness Anti-skid Wear-resistant

※Material:45#, 50#, CR-V.
Surface treatment:Ecru polishing, Pearl nickel, Chrome FX.



Item No.	L (mm)	● (mm)
BPBOCR8BC200G	200	0.5-2
BPBOCR8BC300G	300	1-3.5
BPBOCR8BC320G	320	2-6.5
BPBOCR8BC470G	470	4-8
BPBOCR8BC630G	630	5-11
BPBOCR8BC750G	750	6-13
BPBOCR8BC900G	900	8-17
BPBOCR8BC1050G	1050	9-19



※High quality materials toughness High hardness shear Labor saving Anti-skid Wear-resistant

※Material:45#, 50#, CR-V.
Surface treatment:Black coating, Spraying plastics.

Item No.	L (mm)	A (mm)	B (mm)
BPRACR9EC225G	225	29	20
BPRACR9EC250G	250	33	24
BPRACR9EC280G	280	36	26



※High quality materials toughness High hardness shear Labor saving Anti-skid Wear-resistant

※Material:45#, 55#, CR-V.
Surface treatment:Black polishing, Nickelizing, Sand blast.

Item No.	L (mm)	A (mm)	C (mm)	○ (mm)
BPPICR6EC160G	160	42	18	
BPPICR6EC180G	180	49	20	
BPPICR6EC200G	200	51	21	
BPPICR6EC250G	250	59	25	

※High quality materials toughness High hardness shear Labor saving Anti-skid Wear-resistant

※Material:45#, 55#, CR-V.
Surface treatment:Black polishing,
Nickelizing, Sand blast.

